THE TRUSTED BRAND FOR SAFETY SOLUTIONS



ENVIRONMENTAL AND SITE SAFETY SOLUTIONS









ABOUT PRATT SAFETY

FOR OVER 40 YEARS, PRATT SAFETY SYSTEMS HAS BEEN SUPPLYING INDUSTRIES IN AUSTRALIA, NEW ZEALAND AND ACROSS THE GLOBE.

WITH QUALITY SITE SAFETY & ENVIRONMENTAL PROTECTION PRODUCTS THAT COMPLY WITH AS/NZS AND INTERNATIONAL STANDARDS, OUR RANGE OF PRODUCTS ARE ROBUST ENOUGH FOR ANY WORKING ENVIRONMENT IN THE WORLD

Pratt is proud to provide a comprehensive range of products consisting of emergency showers & eye washes, dangerous goods storage cabinets, gas cages, spill containment & spill kits.

With an ever increasing focus on workplace & environmental safety, Pratt Safety Systems is committed to on going product development to ensure our customers have access to the latest technology available.

INITIATIVES:

- Introduced Safety Showers to Australian Market in 1968
- Introduced Safety Cabinets and Cans into Australian Market in 1981

With over 70-years combined experience in the safety industry, rarely have our team come across an issue or occurrence that we have not tackled previously. From being integral members of national safety councils, to advising on standards and regulations within the industry, our staff have done it all. With this knowledge, all customers can have the confidence that the advice and recommendations they receive from a member of our expert team is truly of a high-class standard.

SCAN THE QR CODES THROUGHOUT THE CATALOGUE TO VIEW AND DOWNLOAD PRODUCT DATA SHEETS.

HOW TO SCAN A QR CODE

- **1. OPEN YOUR PHONE CAMERA**
- 2. POINT YOUR CAMERA AT THE QR CODE
- **3. TAP THE POP UP NOTIFICATION**

WHEN PERFORMANCE IS PARAMOUNT.... HINK PRATIC

PRATT HAVE BEEN THE PIONEERS OF SAFETY SHOWERS FOR OVER 40 YEARS. PRATT SAFETY SYSTEMS CAN PROVIDE YOU WITH STRONG AND RELIABLE EQUIPMENT FOR ANY WORKPLACE REQUIREMENTS. YOU HAVE A PEACE OF MIND KNOWING THAT YOU'RE PROVIDING YOUR EMPLOYEES WITH THE BEST IN INITIAL FIRST AID TREATMENT FOR CHEMICAL BURNS AND INJURIES.

ALL PRATT EMERGENCY SHOWERS AND EYE WASH STATIONS ARE DESIGNED AND MANUFACTURED IN ISO9001 ACCREDITED FACILITY WITH FULL CONFORMANCE TO AS4775 AND AMERICAN ANSI Z358.1 STANDARDS.

With the ever increasing focus on workplace and environmental safety, Pratt Safety Systems has the knowledge and expertise to find solutions to any of our customers' needs, and we are committed to ongoing product development to ensure our customers have access to the latest technology available.



THE PRATT **AEROSTREAM & SWIRLTECH TECHNOLOGY** DELIVERS WHEN IT'S NEEDED MOST

AEROSTREAM

AEROSTREAM technology delivers a gentle cascade of soft flow water to flush away any hazardous materials from the eyes and face. The technology allows the user greater comfort at a time when its needed most. All the eye wash units come standard with (FCR) flow control regulator to ensure effective flow.

SWIRLTECH

SWIRLTECH technology delivers a precise pattern and controlled flow rate of a large volume of flushing fluid, ensuring optimum decontamination when its needed most. All showers come standard with (FCR) flow control regulator, this assists for simultaneous flow between the shower and eyewash to ensure minimum flow outputs aren't compromised.

EMERGENCY COMBINATION Shower & Eye-Face Wash Units

THE CONVENIENCE OF ONE UNIT INCORPORATING BOTH A DELUGE SHOWER AND EYE OR EYE & FACE WASH WITH ONLY ONE WATER SUPPLY CONNECTION REQUIRED.

Available with or without bowl assembly for indoor or outdoor applications, and with or without foot treadle assembly for hand or hand/foot activation for eye washes. All models comply with Australian Standards AS 4775.





SE603 PRATT COMBINATION SHOWER WITH EYE & FACE WASH NOZZLE WITH BOWL. NO FOOT TREADLE

SE607 COMBINATION SHOWER WITH EYE & FACE WASH NOZZLE WITH BOWL & FOOT TREADLE





SE685

COMBINATION SHOWER WITH EYE & FACE WASH NOZZLE NO BOWL. NO FOOT TREADLE

SE689

COMBINATION SHOWER WITH EYE & FACE WASH NOZZLE NO BOWL. WITH FOOT TREADLE

EMERGENCY SHOWERS & EYE WASH



SE607T316 COMBINATION 316SS SHOWER EYE & FACE WASH NOZZLE WITH BOWL & FOOT TREADLE


EMERGENCY COMBINATION Shower & Eye Wash Units





SE612

COMBINATION SHOWER WITH SINGLE NOZZLE EYE WASH WITH BOWL & FOOT TREADLE






COMBINATION SHOWER WITH SINGLE NOZZLE EYE WASH NO BOWL. NO FOOT TREADLE



SE679

COMBINATION SHOWER WITH SINGLE NOZZLE EYE WASH NO BOWL. WITH FOOT TREADLE

חאקכ



SE693

COMBINATION 304SS SHOWER WITH SINGLE NOZZLE EYE WASH WITH BOWL & FOOT TREADLE

SE693FTL

COMBINATION SHOWER WITH SINGLE NOZZLE EYE WASH W/ BOWL & TREADLE - FLIP TOP LID

EMERGENCY Showers only

PRATT EMERGENCY SHOWERS RAPIDLY REMOVE CONTAMINANTS FROM THE BODY WITH A DELUGE OF FLUSHING FLUID.

The shower head delivers a large volume flushing fluid spread evenly in a precise pattern and controlled flow rate.

SE253

TAAT

FREE STANDING SHOWER





EMERGENCY SHOWERS & EYE WASH

PORTABLE Shower



PEDESTAL EYE WASH & EYE-FACE WASH STATIONS

PRATT EYE WASH STATIONS PROVIDE A SOFT FLOWING, SINGLE STREAM OF AERATED FLUID TO THE EYES.

Pratt Eye Wash Stations are available in wall or pedestal mounted units, with or without bowl assembly, and with or without foot treadle activation.





SE420

PRATT PEDESTAL MOUNTED EYE & FACE WASH NOZZLE WITH BOWL NO FOOT TREADLE

SE480

PRATT PEDESTAL MOUNTED EYE & FACE WASH NOZZLE WITH BOWL & FOOT TREADLE





SE584FTL

EYE WASH

త

EMERGENCY SHOWERS

PRATT PEDESTAL MOUNTED EYEWASH SINGLE NOZZLE WITH BOWL NO TREADLE - FLIP TOP LID

SE545

PRATT PEDESTAL MOUNTED SINGLE NOZZLE EYE WASH WITH BOWL. NO FOOT TREADLE



SE546

PRATT PEDESTAL MOUNTED SINGLE NOZZLE EYE WASH WITH BOWL & FOOT TREADLE



WALL MOUNT EYE WASH & EYE & FACE WASH STATIONS



SE400

SE475

BOWL. NO FOOT TREADLE

PRATT WALL MOUNTED EYE & FACE WASH NOZZLE WITH BOWL. NO FOOT TREADLE



SE415

PRATT WALL MOUNTED EYE & FACE WASH NOZZLE WITH BOWL & FOOT TREADLE



PRATT WALL MOUNTED EYE & FACE WASH NOZZLE NO



SE505

PRATT WALL MOUNTED SINGLE NOZZLE EYE WASH WITH BOWL. NO FOOT TREADLE



SE515

PRATT WALL MOUNTED SINGLE NOZZLE EYE WASH WITH BOWL. WITH FOOT TREADLE



SE575

PRATT WALL MOUNTED SINGLE NOZZLE EYE WASH NO BOWL. NO FOOT TREADLE



SE582FTL

PRATT WALL MOUNTED EYE WASH SINGLE NOZZLE WITH BOWL NO TREADLE - FLIP TOP LID

LABORATORY & SUPPLEMENTAL UNITS

EVEN WHEN WORKING WITH SMALL DOSES OF DANGEROUS SUBSTANCES, SUCH AS IN A LABORATORY, A SPILL OR SPLASH COULD STILL CAUSE A SERIOUS INJURY.

Pratt's laboratory eyewashes provide laboratory practitioners swift and effective first aid treatment for chemical injuries and burns.

PS920

PRATT HAND HELD DRENCH HOSE SINGLE NON AERATED **EYE WASH 1.5M HOSE**





PS927 PRATT HAND HELD TWIN NON AERATED EYE WASH





IVE

536062

BENCH TOP MOUNT BRACKET

PRATT SAFETY EMERGENCY SHOWERS ACCESSORY OPTIONS

WITH PRATT BEING THE PIONEERS OF EMERGENCY SAFETY SHOWERS IN THE AUSTRALIAN MARKET, OUR EXPERTISE AND KNOWLEDGE IS PEACE OF MIND WE'RE ABLE TO OFFER THE RIGHT ADVICE ON THE APPROPRIATE SOLUTION FOR ANY SITUATION.



SIGNS

All emergency shower and eyewash units equipment identification and compliance to AS4775 and AS1319.



ANTI SCALD/ANTI FREEZE VALVES

Anti scald or Anti-freeze valves will automatically open when the flushing fluid reaches the pre-set opening temperature. When the fluid temperature changes to the pre-set closing temperature, the valve then closes.

2.) ALA

ALARM KITS

Alarm kits provide an effective means of warning other employees that the shower and/or eyewash station is in use and to render urgent assistance.



FLUORESCENT LIGHT

AS4775 requires the location of emergency eyewash and shower equipment to be well illuminated. Green fluorescent lighting assists to identify the location of emergency equipment. Installation options on the shower or wall.



THERMAL PROTECTION

Thermal insulation of the safety shower from the effects of solar heating, help minimise the water temperature of stored water within the shower.



CORROSIVE ENVIRONMENTS

Products are manufactured in 304 stainless steel as standard, with 316 stainless steel available as an option. To provide extra protection powder coating is available where emergency systems are installed in areas where chemicals are used or stored and in areas of high salinity.

YELLOW

GREEN



BOWL OPTIONS

When indoor bowels are a great option, when not indoors, consider no bowl options. For extra protection from dust and debris consider our flip top lid option.



SHOWER Accessories



SETESTKIT

PRATT SHOWER TEST KIT WITH BIN





PRATT SHOWER TEST SOCK & RECEPTACLE

SETESTTAG

PRATT SHOWER AND EYE WASH TEST TAG - PACK OF 10

SEASV PRATT ANTI SCALD VA

SE950

PRATT ANTI SCALD VALVE ONLY 95°F/ 35°C RATED TEMPERATURE





SEASV-105

PRATT ANTI SCALD VALVE ONLY 105°F/40°C RATED TEMPERATURE



SEAERATORKEY AERATOR REMOVAL KEY STAINLESS STEEL

SEAFV

PRATT ANTI FREEZE VALVE ONLY

IVEC



SEEWGAUGE

EYEWASH TEST GAUGE PLASTIC TRANSPARENT



PSAL1 PRATT SHOWER AUDIBLE AND VISUAL ALARM KIT



SE600TCF2

PRATT THERMAL INSULATING FOIL FOR **SHOWER STANCHION**




PSGL1 **GREEN LIGHT KIT**

PSGL3



GREEN LIGHT & POLE MOUNTING KIT



PSGL4

PSGL2

GREEN LIGHT - DUAL POWERED & POLE MOUNTING KIT

GREEN LIGHT & WALL MOUNTING KIT



SEILFS **PRATT FLOW SWITCH INLINE 25MM IP67**

SHOWER ACCESSORIES







EESAE

EEMSH

P/N0	MATERIAL	SIZE	DESCRIPTION
EEMEW3022M	METAL	300x225mm	EMERGENCY EYEWASH
EEMEW3022P	POLY	300x225mm	EMERGENCY EYEWASH
EEMEW4530M	METAL	450x300mm	EMERGENCY EYEWASH
EEMEW4530P	POLY	450x300mm	EMERGENCY EYEWASH
EEMEW6045M	METAL	600x450mm	EMERGENCY EYEWASH
EEMEW6045P	POLY	600x450mm	EMERGENCY EYEWASH
EEMSH3022M	METAL	300x225mm	EMERGENCY SHOWER
EEMSH3022P	POLY	300x225mm	EMERGENCY SHOWER
EEMSH4530M	METAL	450x300mm	EMERGENCY SHOWER
EEMSH4530P	POLY	450x300mm	EMERGENCY SHOWER
EEMSH6045M	METAL	600x450mm	EMERGENCY SHOWER
EEMSH6045P	POLY	600x450mm	EMERGENCY SHOWER
EESAE3022M	METAL	300x225mm	EMERGENCY SHOWER & EYEWASH
EESAE3022P	POLY	300x225mm	EMERGENCY SHOWER & EYEWASH
EESAE4530M	METAL	450x300mm	EMERGENCY SHOWER & EYEWASH
EESAE4530P	POLY	450x300mm	EMERGENCY SHOWER & EYEWASH
EESAE6045M	METAL	600x450mm	EMERGENCY SHOWER & EYEWASH
EESAE6045P	POLY	600x450mm	EMERGENCY SHOWER & EYEWASH



PSSMB1 PRATT STANCHION SIGN MOUNTING BRACKET SMALL




PSSMB2 PRATT STANCHION SIGN MOUNTING BRACKET LARGE

TVE

LARGE RANGE OF EMERGENCY SHOWER ACCESSORIES ACCESSORIES AVAILABLE

TINER

SPARE PARTS





2A 3B

2B

PRATT 25MM S/STEEL BALL VALVE WITH LEVER ARM SUITS ALL ELITE SHOWERS

1D

2

PRAT S/STEEL PULL ROD SILVER SUITS ALL ELITE SHOWERS

PRATT ABS PLASTIC SHOWER HEAD WITH SWIRLTEC NOZZLE

HEAD WITH SWIRLTEC

NOZZLE SUITS SE693

1

SPARE PARTS



570027 PRATT EYE & FACE WASH NOZZLE YELLOW ABS PLASTIC SUITS ALL ELITE EYEWASH







570030

PRATT SS304 SCREWS PACK OF 6 TO SUIT EYE & FACE WASH NOZZLE



570031 PRATT AERATOR SUITS ALL EYE & FACE WASH INC. WASHER



570032

PRATT 304 STAINLESS STEEL RING SUITS EYE & FACE WASH AERATOR



PRATT EYEWASH NOZZLE ASSEMBLY S/STEEL WITH RUBBER EYECUP SUITS ALL ELITE EYEWASH





PRATT AERATOR SUITS ALL ELITE AND ECONOMY EYEWASH



570017 PRATT RUBBER EYEWASH CUP WITH YELLOW DUST CAP SUITS ALL ELITE EYEWASH



2C

570028 PRATT 304 STAINLESS STEEL RING SUITS EYEWASH AERATOR



570004

PRATT EYEWASH NOZZLE ASSEMBLY S/STEEL WITH YELLOW DUST CAP SUITS SE693 AND FTL EYEWASH



2

AIBIC

1

AIBICID

PRATT YELLOW DUST CAPS PLASTIC SUITS SE693 AND FTL EYEWASH

SHOWER SPARE PARTS

SPARE PARTS PRE 2021 SHOWER/EYEWASH MODELS









SE910

PRATT PUSH HANDLE & 15MM BALL VALVE KIT -VERTICAL ASSEMBLY

SE911

PRATT 316 STAINLESS STEEL 25MM BALL VALVE AND LEVER ARM

531018

PRATT 316 STAINLESS STEEL 15MM BALL VALVE

531020

PRATT PUSH HANDLE HORIZONTAL ASSEMBLY





531027 **PRATT FOOT TREADLE** ASSEMBLY

531038 **PRATT PULL ROD FOR** SHOWERS

516213 **O-RING 36.5 X 4A2.9 FOR**





531113 PRATT DUST COVER CAP FOR TRIPLE EYE & FACE WASH NOZZLE ASSEMBLY



531120

PRATT DUST COVER CAPS FOR SINGLE EYE WASH **NOZZLE ASSEMBLY** PK OF 2



531130 **PRATT SINGLE AERATED EYEWASH NOZZLE** ASSEMBLY



531131 **PRATT TRIPLE AERATED EYE AND FACE WASH NOZZLE ASSEMBLY**



05-1177

PRATT AERATOR SCREEN ASSEMBLY SINGLE & TRIPLE HEAD NOZZLES

TNRC

SHOWER

SPARE PARTS PRE 2021 Shower/Eyewash Models



511700

PRATT STRAINER MESH FILTER FOR FLEXIBLE BRAIDED HOSES PK OF 6



511328 PRATT NEW 316 STAINLESS STEEL T JUNCTION AND NIPPLE MANIFOLD



520129WH

PRATT RIGHT HAND SS BRAIDED HOSE & ELBOW ASSEMBLY FOR SHOWERS



520130WH

PRATT LEFT HAND SS BRAIDED HOSE & ELBOW ASSEMBLY FOR SHOWERS



531121 PRATT DRAIN BOWL CONNECTOR KIT



531040 PRATT STAINLESS STEEL BRAIDED HOSE ASSEMBLY FOR NO BOWL SHOWERS

PRATT STAINLESS STEEL

531044

SHOWER ARM



531108 PRATT STAINLESS STEEL BOWL ASSEMBLY



531115 PRATT STRAINER KIT FOR EYE WASH MANIFOLD (SUITS OLDER STYLE)



531132 PRATT HEX CAP 15MM FOR AUXILIARY OUTLET ON

SHOWER STANCHIONS



PFCA90

PRATT SHOWER

ASSEMBLY FLOW

FLOW RATE 90LPM

CONTROL REGULATOR



511704

PRATT STAINLESS STEEL SCREWS FOR TRIPLE AERATED EYE & FACE WASH PK OF 10

SPARE PARTS PRE 2021 SHOWER/EYEWASH MODELS









511706

PRATT TRIPLE EYE AND FACE WASH NOZZLE HOUSING



OF 1 - FLAT

511757

PRATT STAINLESS STEEL METERING SCREW PACK OF 1 - TAPERED



316SS SHOWER HEAD WITH IMPELLER



SE870 **PLASTIC SHOWER HEAD** WITH IMPELLER. YELLOW

531039

PRATT AERATOR SCREEN ASSEMBLY SINGLE & TRIPLE HEAD NOZZLES

531051

PUSH HANDLE & LINKAGE ASSEMBLY SUITS NO-BOWL EYEWASH UNIT

531007

PRATT CAP DUST EYE WASH SAFETY STATION (PAIR)

SHOWER SPARE PARTS

TVEC

531006

PRATT DUST CAP SET (OLD NORSLEY STYLE)

GRAVITY FED AND PRESSURISED PORTABLE PORTABL

WITH PRATT'S PORTABLE UNITS, YOU CAN HAVE A SAFE WORKPLACE NO MATTER WHERE YOU ARE.

Portable units provide immediate, supplementary support and are ideal for worksites.

The twin eyewash complies to AS4775 but in Australia the SE593A shower and the units with the PS920 Drench Hose are considered supplementary support, and may not replace the need for a primary eye wash station as outlined in AS4775-2007.

GRAVITY FED UNITS & ACCESSORIES



SE5050

PRATT PORTABLE GRAVITY FED EYE WASH UNIT. 55 LTR



SE5000

PRATT PORTABLE GRAVITY FED EYE WASH UNIT. 35 LTR





SE5000TC PRATT THERMAL COVER FOR SE5000

PRATT WATER PRESERVATIVE SOLUTION

SE4764

4 PACK 250ML BOTTLES



SE5050TC PRATT THERMAL COVER FOR SE5050



SE5000-L PRATT PORTABLE EYE WASH LID SUITS SE5000 35LTR UNIT



SE5050-L

PRATT PORTABLE EYE WASH LID SUITS SE5050 55LTR UNIT

TNSC

PORTABLE Pressurised Units



SE590A

TIAFIG

PRATT PORTABLE PRESSURISED EYE AND BODY WASH WITH HAND HELD DRENCH HOSE. 45LTR UNIT

SE591A

PRATT PORTABLE PRESSURISED TWIN EYE WASH. 45LTR UNIT



PRATT PORTABLE PRESSURISED HAND HELD BODY



SE593A

PRATT PORTABLE PRESSURISED COMBO SHOWER & TWIN EYE WASH 106LTR UNIT

SE592A

WASH STATION. 45LTR UNIT

ACCESSORIES FOR PRESSURISED UNITS



PS590TC PRATT THERMAL COVER. SUITS SE590A, SE591A, SE592A



PS593TC PRATT THERMAL COVER FOR SE593A





PS590TR PORTABLE EYEWASH TROLLEY TO SUIT SE590A

SE593A-TR

HEAVY DUTY TROLLEY WITH STRAP FOR SE593A

IQUID **PRATT SAFETY** ROUS GOODS SAFETY SYSTEMS HAS BEEN MANUFACTURING AND **DISTRIBUTING CABINETS FOR OVER 30 YEARS.**

3

ALL PRATT CABINETS ARE DESIGNED AND MANUFACTURED IN IS09001 ACCREDITED FACILITY WITH FULL CONFORMANCE TO AUS/NZ STANDARDS.

When choosing your Pratt storage cabinet, it is crucial that the types of dangerous goods and the hazards they present are correctly understood, so as to choose the right cabinet and to segregate incompatible substances.





DANGEROUS GOODS Indoor Storage Cabinets

PRATT SAFETY SYSTEMS HAS BEEN MANUFACTURING AND DISTRIBUTING CABINETS FOR OVER 30 YEARS. ALL PRATT CABINETS ARE DESIGNED AND MANUFACTURED IN ISO9001 ACCREDITED FACILITY WITH FULL CONFORMANCE TO AUS/NZ STANDARDS.

CLASS 3 FLAMMABLE LIQUIDS ARE LIQUIDS, or mixtures of liquids, or liquids containing solids in solution or suspension (but not including substances otherwise classified on account of their dangerous characteristics) which give off a flammable vapour at temperatures of not more than 60°C, closed-cup test, or not more than 65.6°C, open-cup test, normally referred to as the flash point.

CLASS 4 FLAMMABLE SOLIDS ARE MADE UP OF THE FOLLOWING SUB-DIVISIONS:

DIVISION 4.1 FLAMMABLE SOLIDS

• **FLAMMABLE SOLIDS,** readily combustible and may cause or contribute to fire through friction. They can also be a powder or paste.

• SELF-REACTIVE SUBSTANCE, thermally unstable substances that are liable to undergo a strong exothermic reaction (heat release), or decomposition even without participation of air.

• **SOLID DESENSITIZED EXPLOSIVES,** substances that are wetted with water, alcohol or are diluted with other substances to form a solid mixture to suppress their explosive properties. Desensitized explosives may explode if not diluted sufficiently.

• **POLYMERIZING SUBSTANCES** are substances which, without stabilisation, are liable to undergo a strongly exothermic reaction resulting in the formation of larger molecules or resulting in the formation of polymers.

DIVISION 4.2 SUBSTANCES LIABLE TO SPONTANEOUS COMBUSTION

• **PYROPHORIC SUBSTANCES** are substances, including mixtures and solutions (liquid or solids) which can ignite upon contact with oxygen, even in small quantities. These Division 4.2 substances are the most liable to spontaneous combustion.

• SELF-HEATING SUBSTANCES are substances, other than pyrophoric substances, which in contact with air, and without energy supply, are liable to self-heating. These substances will ignite only when in large amounts and after long periods of time.

DIVISION 4.3 SUBSTANCES WHICH IN CONTACT WITH WATER EMIT FLAMMABLE GASES

• DANGEROUS WHEN WET substances which when in contact with water may emit flammable gases that can form explosive mixtures with air. Such mixtures are easily ignited by all ordinary ignition sources, e.g. naked lights, sparking hand tools, or unprotected light bulbs. The resulting blast wave and flames may endanger people and the environment. Emitting gases may also be toxic.

CLASS 5.1 OXIDIZING AGENTS are substances which, although not necessarily combustible, may, readily liberate oxygen, or be the cause of oxidizing processes and, as a result, may start a fire in, or stimulate the combustion of other materials. Oxidizing agents can be either solids or liquids.

CLASS 5.2 ORGANIC PEROXIDES are thermally unstable substances, which may undergo exothermic selfaccelerating decomposition. They are sensitive to heat and therefore prone to decomposition by burning. Under certain circumstances, such as high temperatures, and inadequate segregation from incompatible substances, organic peroxides can ignite and cause uncontrollable fires. Some organic peroxides are corrosive, which means that they can attack and destroy metals. In addition, they may have one or more of the following properties:

- be liable to explosive decomposition
- burn rapidly
- be sensitive to impact or friction
- react dangerously with other substances
- cause damage to the eyes

CLASS 6.1 TOXIC SUBSTANCES are those which can cause death, serious injury or harm to human health through skin absorption, inhalation, or ingestion.

CLASS 8 CORROSIVE substances are substances which, by chemical action, will cause severe damage when in contact with living tissue, or, in the case of leakage, will materially damage, or even destroy, other goods, or the means of transport and may also cause other hazards.

Corrosive substances are also divided into two main types; Acids and Alkalis, which are defined by their pH balance. Acids are less than 7.0 pH, whereas Alkalis are more than 7.0 ph. However, Acids and Alkalis should also be stored separately, as they can react violently if mixed.

DANGEROUS GOODS STORAGE

PRATT SAFETY SYSTEMS HAS BEEN MANUFACTURING AND DISTRIBUTING CABINETS FOR OVER 30 YEARS

TVAC

CLASSIFICATIONS LABELS:

All appropriate classification, capacity labels, identification and instruction labels are applied to each indoor cabinet.

MANUFACTURED IN ISO9001 ACCREDITED FACILITY

All cabinets are designed and manufactured to full conformance of AUS/NZ Standards.



POWDER COATED PAINT FINISH:

Our metal indoor cabinets have an epoxy resin powder coating internally & externally, for improved chemical resistance.

50MM VENT BUNGS:

Fitted into side walls of indoor metal cabinets, to allow for venting where required. Each vent incorporates a steel flash arrester. Each vent is supplied with resealable metal caps.



DANGEROUS GOODS STORAGE

SELF-CLOSING DOORS:

All metal two door cabinets incorporate Pratt's unique and improved sequential self-closing door action, providing hands free closing and ensures doors close in the correct sequence. All metal indoor single door cabinets have self-closing door mechanism.

WALLS:

Indoor metal cabinets are constructed using 1.2mm thick, double steel walls with 40mm air gap between walls to provide thermal insulation.

150MM DEEP LIQUID TIGHT SUMP:

For containment of leakage or spillage.



SHELVES:

All metal indoor cabinets come with 1.6mm thick perforated galvanised steel shelves provide added strength and free air movement within the cabinet

FULLY ADJUSTABLE SHELVES:

Indoor metal cabinets have 90mm shelving increments for large cabinets and 45mm for medium and small cabinets.



FLAMMABLE LIQUID Storage Cabinet

PRATT INDOOR FLAMMABLE LIQUID STORAGE CABINETS COMPLY WITH THE AUSTRALIAN STANDARD AS1940 "THE STORAGE AND HANDLING OF FLAMMABLE AND COMBUSTIBLE LIQUIDS".

This range of cabinets is suitable for the storage of flammable or combustible liquids as classified by the United Nations criteria and the ADG Code for Dangerous Goods. These include flammable liquids such as Paints, Solvents, Petrol, Thinners, Kerosene, Turpentine, White Spirits, Alcohol and Ethanol. Also, combustible liquids such as Diesel, Linseed Oil and Pine Oil.



Part number: DGFLB2727A Description: PRATT DANGEROUS GOODS FLAMMABLE LIQUID 3 270 X 270 S/A LABEL

Part number: 717053 Description: PRATT DANGER NO SMOKING NO IGNITION SOURCES 360 X 270 LABEL also





5516AS	5517AS	5535AS	5530AS	5545AS	5560AS	5	560ASE	55	55VS	55	90AS
MODEL	CAPAC	ITY DOC	ORS SHELVES	EXTRA SHELF	WEIGHT	EXTERN	AL (mm)		INTERN	AL (mm)	
			INC. BASE LE	VEL		HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	DEPTH H
5516AS	30L	1	1	5517-29S	53kg	770	515	465	525	420	370
5517AS	60L	1	2	5517-29S	62kg	1065	515	465	820	420	370
5535AS	100L	2	1	5535-295	100kg	770	935	620	495	840	530
5530AS	160L	2	2	5545-29S	141kg	1295	1115	500	1015	1020	415
5545AS	250L	2	3	5545-29S	185kg	1825	1115	500	1545	1020	415
5560AS	350L	2	3	5560-29S	230kg	1825	1440	585	1545	1350	495
5560ASE	350L	1	3	5560E-29S	180kg	1825	865	865	1580	770	775
5555VS	205L	1	ROLLER SE	т -	180kg	1825	865	865	1580	770	775
5590AS	425L	2	3	5590-295	247kg	1825	1115	865	1545	1015	775

Note: 1. For all two door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 2. For all single door cabinets, the internal height is taken from the top of the sump sill/bottom shelf to the ceiling. 3. For total external width measurement, add 6mm per vent bung for tight clearance locations.

TVBC

CORROSIVE SUBSTANCE STORAGE CABINETS - METAL

PRATT INDOOR CORROSIVE SUBSTANCE STORAGE CABINETS COMPLY WITH AS3780 "THE STORAGE AND HANDLING OF CORROSIVE SUBSTANCES".

This range of cabinets is for the storage of Corrosive Substances in liquid or solid as classified by the United Nations criteria and the ADG Code for Dangerous Goods. These include chemicals such as: Acids, Alkalis, Caustics, Sodium Hydroxide Solution, Hypochlorite Solution etc.



Part number: DGCOR2727A Description: PRATT DANGEROUS GOODS CORROSIVE 8 270 X 270 S/A LABEL





MODEL	CAPACITY	DOORS	SHELVES	EXTRA SHELF	EXTRA TRAY	WEIGHT	EXTERNA	L (mm)		INTERNA	L (mm)	
			INC. BASE LEVEL				HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	DEPTH H
5516ASPH	30kg or L*	1	1	5517PH-29S	5517-29TS x 1	53kg	770	515	465	525	420	370
5517ASPH	60kg or L*	1	2	5517PH-29S	5517-29TS x 2	62kg	1065	515	465	820	420	370
5535ASPH	100kg or L*	2	1	5535PH-29S	5535-29TS x 1	100kg	770	935	620	495	840	530
5530ASPH	160kg or L*	2	2	5545PH-29S	5545-29TS x 2	141kg	1295	1115	500	1015	1020	415
5545ASPH	250kg or L*	2	3	5545PH-29S	5545-29TS x 3	185kg	1825	1115	500	1545	1020	415
5560ASPH	350kg or L*	2	3	5560PH-29S	5545-29TS x 3 5517-29TS x 3	230kg	1825	1440	585	1545	1350	495
5590ASPH	425kg or L*	2	3	5590PH-29S	5545-29TS x 6	247kg	1825	1115	865	1545	1015	775

* AS3780 specifies a maximum of 50kg or L for Packaging Group I Corrosive Substances and 250kg or L for Packaging Group II.

Note: 1. These cabinets are designed for the safe storage of corrosives in sealed and closed containers. Good housekeeping practices are essential to ensure long service life. 2. For all two door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 3. For all single door cabinets, the internal height is taken from the top of the sump sill/bottom shelf to the ceiling. 4. For total external width measurement, add form per vent bung for tight clearance locations.

DANGEROUS GOODS STORAGE

CORROSIVE SUBSTANCE STORAGE CABINETS - POLYETHYLENE

PRATT POLY CORROSIVE SUBSTANCE STORAGE CABINETS HAVE BEEN UPDATED WITH NEW MATERIALS, IMPROVED DESIGN AND CONSTRUCTION.

The cabinets are now made from white polypropylene material which match the décor and meet the high finish standards of many laboratories. The cabinet material provides a superior resistance for the storage of most aggressive corrosive chemicals, such as Sulphuric Acid, Hydrochloric Acid, Nitric Acid and other substances highly aggressive to metal. The cabinets are designed and manufactured to comply with the requirements of AS3780 "The Storage and Handling of Corrosive Substances".



Part number: DGCOR2727A **Description: PRATT** DANGEROUS GOODS **CORROSIVE 8** 270 X 270 S/A LABEL





5512PSPH 5516PSPH 5535PSPH

5545PSPH

MODEL	CAPACITY	DOORS	SHELVES	EXTRASHELF	WEIGHT	EXTERNAL (mm)			INTERNAL (mm)		
			INC. BASE LEVEL			HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	ДЕРТН Н
5512PSPH	20kg or L*	1	1	5512P-29	26kg	600	460	466	420	430	426
5516PSPH	40kg or L*	1	1	5516P-29	35kg	770	600	466	590	570	426
5517PSPH	80kg or L*	1	2	5516P-29	46kg	1150	600	466	970	570	426
5535PSPH	100kg or L*	2	1	5535P-29	53kg	770	880	606	590	850	566
5540PSPH	110kg or L*	2	2	5545P-29	65kg	770	1000	600	590	970	560
5530PSPH	160kg or L*	2	4	5545P-29	92kg	1150	1000	600	970	970	560
5545PSPH	250kg or L*	2	6	5545P-29	120kg	1550	1000	600	1370	970	560

* AS3780 specifies a maximum of 50kg or L for Packaging Group I Corrosive Substances and 250kg or L for Packaging Group II.

Note: 1. These cabinets are designed for the safe storage of corrosives in sealed and closed containers. Good housekeeping practices are essential to ensure long service life. 2. Check chemical compatibility of stored chemicals with polypropylene material to ensure suitability. 3. For all two door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 4. For all single door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 4. For all single door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sump sill/bottom shelf to the colling.

TIARI

TOXIC SUBSTANCE Storage Cabinets

PRATT INDOOR TOXIC SUBSTANCE STORAGE CABINETS COMPLY WITH THE AUSTRALIAN & NEW ZEALAND STANDARD AS/ NZS4452 "THE STORAGE AND HANDLING OF TOXIC SUBSTANCES".

This range of cabinets is for the storage of Toxic Substances in liquid or solid as classified by the United Nations criteria and the ADG Code for Dangerous Goods. These include chemicals such as: Alkaloids, Arsenic, Aniline, Cyanides, Mercury, Phenol – Solid, Trichloroethylene, etc.



Part number: DGTOX2727A Description: PRATT DANGEROUS GOODS TOXIC 6 270 X 270 S/A LABEL



					TOXIC		TOXIC 6
	TOXIC		TOXIC 6				
	6	TOXIC	•				
	0			0		•	and a second sec
5516AST	5517AST	5535AST	5530AST		5545AST		5560AST

JJIUAJI	JJITA	51	3333A31	33	JUAJI		JJ4JAJ			5500/	AJT
MODEL	CAPACITY	DOORS	SHELVES	EXTRA SHELF	WEIGHT	EXTERN	AL (mm)		INTERN	AL (mm)	
			INC. BASE LEVEL			HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	DEPTH H
5516AST	30kg or L	1	1	5517-29S	53kg	770	515	465	525	420	370
5517AST	60kg or L*	1	2	5517-29S	62kg	1065	515	465	820	420	370
5535AST	100kg or L*	2	1	5535-29S	100kg	770	935	620	495	840	530
5530AST	160kg or L*	2	2	5545-29S	141kg	1295	1115	500	1015	1020	415
5545AST	250kg or L*	2	3	5545-29S	185kg	1825	1115	500	1545	1020	415
5560AST	250kg or L*	2	3	5560-29S	230kg	1825	1440	585	1545	1350	495

* AS/NZS 4452 specifies a maximum of 25kg or L for Packaging Group I and 50kg or L for Packaging Group II Toxic Substances.

Note: 1. For all two door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 2. For all single door cabinets, the internal height is taken from the top of the sump sill/ bottom shelf to the ceiling. 3. For total external width measurement, add 6mm per vent bung for tight clearance locations.

OXIDIZING AGENT Storage Cabinets

PRATT INDOOR OXIDIZING AGENT STORAGE CABINETS COMPLY WITH THE AUSTRALIAN STANDARD AS4326 "THE STORAGE AND HANDLING OF OXIDIZING AGENTS".

This range of cabinets is for the storage of Oxidizing Agents in liquid or solid as classified by the United Nations criteria and the ADG Code for Dangerous Goods. These include chemicals such as: Hypochlorite-inorganic, Hydrogen Peroxide, Perchlorites-inorganic, Potassium Nitrate etc.



Part number: DGOXA2727A Description: PRATT DANGEROUS GOODS OXIDISING AGENT 5.1 270 X 270 S/A LABEL





JJIUAUA		JJITAUA	•	JJJJAUA		3.	JUAUA			334	JAUA
MODEL	CAPACITY	DOORS	SHELVES	EXTRA SHELF	WEIGHT	EXTERN	AL (mm)		INTERN	AL (mm)	
			INC. BASE LEVEL			HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	DEPTH H
5516A0A	30kg or L*	1	1	5517-29S	53kg	770	515	465	525	420	370
5517A0A	60kg or L*	1	2	5517-29S	62kg	1065	515	465	820	420	370
5535A0A	100kg or L*	2	1	5535-29S	100kg	770	935	620	495	840	530
5530A0A	160kg or L*	2	2	5545-29S	141kg	1295	1115	500	1015	1020	415
5545A0A	250kg or L*	2	3	5545-29S	185kg	1825	1115	500	1545	1020	415

* AS 4326 specifies a maximum of 50kg or L for Packaging Group I Oxidizing Agents.

Note: 1. For all two door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 2. For all single door cabinets, the internal height is taken from the top of the sump sill/ bottom shelf to the ceiling. 3. For total external width measurement, add 6mm per vent bung for tight clearance locations.

TIA FIG

ORGANIC PEROXIDE Storage Cabinets

PRATT INDOOR ORGANIC PEROXIDE STORAGE CABINETS COMPLY WITH THE AUSTRALIAN STANDARD AS2714 "THE STORAGE AND HANDLING OF ORGANIC PEROXIDES".

This range of cabinets is for the storage of Organic Peroxides in liquid or solid as classified by the United Nations criteria and the ADG Code for Dangerous Goods. These include chemicals such as: Acetyl Acetone Peroxide, Methyl Ethyl Ketone Peroxides, Dibenzoyl Peroxide etc.



Part number: DGOPB2727A Description: PRATT DANGEROUS GOODS ORGANIC PEROXIDE 5.2 270 X 270 S/A LABEL



								Ordinate Process 52
					Honge Boose			
March March					AMOTT Commission Amottal	•		
5516AP0	5517AP0		5535AP0	5!	530AP0		5545A	\PO
MODEL	CAPACITY DOORS	SHELVES	EXTRA SHELF WEIG	GHT EXTERN	IAL (mm)	INTERNAL ((mm)	

MODEL	CAPACITY	DOORS	SHELVES	EXTRASHELF	WEIGHT	EXTERNAL (mm)		INTERN			
			INC. BASE LEVEL			HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	DEPTH H
5516AP0	30kg or L	1	1	5517-29S	53kg	770	515	465	525	420	370
5517AP0	60kg or L*	1	2	5517-29S	62kg	1065	515	465	820	420	370
5535AP0	100kg or L*	2	1	5535-295	100kg	770	935	620	495	840	530
5530AP0	100kg or L*	2	2	5545-29S	141kg	1295	1115	500	1015	1020	415
5545AP0	100kg or L*	2	3	5545-29S	185kg	1825	1115	500	1545	1020	415

* AS 2714 specifies a maximum of 50kg or L for Type B Organic Peroxides

Note: 1. For all two door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 2. For all single door cabinets, the internal height is taken from the top of the sump sill/bottom shelf to the ceiling. 3. For total external width measurement, add 6mm per vent bung for tight clearance locations.

CLASS 4 DANGEROUS GOODS Storage Cabinets

PRATT INDOOR CLASS 4 STORAGE CABINETS COMPLY WITH THE STANDARD AS/NZS5026 "THE STORAGE AND HANDLING OF CLASS 4 DANGEROUS GOODS".

This range of cabinets is for the storage of Class 4 chemicals in liquid or solid form as classified by the United Nations criteria and the ADG Code for Dangerous Goods. Please refer to the Standard. These include the following divisions: Flammable Solids, Spontaneously or Combustible Dangerous when wet.



Part number: DGSPC2727A Description: PRATT DANGEROUS GOODS SPONTANEOUSLY COMBUSTIBLE 270 X 270 S/A LABEL



Part number: DGDWW2727A Description: PRATT DANGEROUS GOODS DANGEROUS WHEN WET 270 X 270 S/A LABEL Part number:



DGFSB2727A Description: PRATT FLAMMABLE SOLID CL4 DIAMOND 270 X 270 S/A LABEL



Part number: 717053 Description: PRATT DANGER NO SMOKING NO IGNITION SOURCES 360 X 270 LABEL also









5516AC4		5517AC4		5535AC4		5530AC4			5545AC4		
MODEL	CAPACITY	DOORS	SHELVES EXTRASHELF WEIGHT		WEIGHT	EXTERNAL (mm)			INTERNAL (mm)		
			INC. BASE LEVEL			HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	DEPTH H
5516AC4	30kg or L*	1	1	5517-29S	53kg	770	515	465	525	420	370
5517AC4	60kg or L*	1	2	5517-29S	62kg	1065	515	465	820	420	370
5535AC4	100kg or L*	2	1	5535-29S	100kg	770	935	620	495	840	530
5530AC4	160kg or L*	2	2	5545-29S	141kg	1295	1115	500	1015	1020	415
5545AC4	250kg or L*	2	3	5545-29S	185kg	1825	1115	500	1545	1020	415

* AS/NZS 5026 specifies a maximum of 25kg or L for Category A, 50kg or L of Category B or 100kg or L of Category C, Class 4 Chemicals. Other capacity limitations do apply. Refer to the Standard for further details.

Note: 1. For all two door cabinets, the internal height is taken from top of sump sill/bottom shelf to the sequential chassis assembly. 2. For all single door cabinets, the internal height is taken from the top of the sump sill/ bottom shelf to the ceiling. 3. For total external width measurement, add 6mm per vent bung for tight clearance locations.

PRATT INDOOR CLASS 4 STORAGE CABINETS COMPLY WITH THE STANDARD AS/NZS 5026 "THE STORAGE AND HADLING OF CLASS 4 DANGEROUS GOODS"

DANGEROUS GOODS OUTDOOR CABINETS

PRATT DANGEROUS GOODS OUTDOOR STORAGE CABINETS ARE MANUFACTURED TO COMPLY WITH THE REQUIREMENTS OF AUSTRALIAN STANDARD AS 1940, CLASS 3 AS1940, CLASS 5.1 AS4326, CLASS 5.2 AS2714 & CLASS 6 AS4452.

This range of cabinets provide a convenient and secure enclosure and helps with good house-keeping practices for the storage of dangerous goods.

They are suitable for outdoor use only.

SPECIAL FEATURES:

- •Only Suitable for Flammable, Oxidizing, Organic Per & Toxic Substances
- Constructed of heavy duty single walled galvanised steel.
- •Door and rear panel incorporate weatherproof louvered constant ventilation.
- •Manual closing door with ISO two-point latching bar.
- Provision for padlock for added security.
- Rubber door seal for added weather protection.
- •Two heavy duty door hinges allowing 270° opening to aid loading and unloading.
- Fixed heavy duty open mesh bottom shelf.
- •Heavy duty galvanised steel adjustable shelf.
- External static earthing connection point at base of cabinet including a metal earthing stake with connecting earthing wire.
- Durable weather and solvent resistant blue powder coated paint finish, both internal and external.
- •150mm deep liquid tight sump for spill collection.
- •Front accessible removal sump plug for drainage.
- •4 x heavy duty lifting lugs.
- •Heavy duty foot plates with provision for bolting to concrete footing.
- Forklift channels for ease of moving by forklift.
- Palletised and packaged in strong cardboard for protection during transportation and storage.
- •Appropriate labelling applied.



POD80	POD160	POD250	POD250D	P0D350	POD450

FUDOU	FUDIOU	FUDZ		002300		FU	0330			00430
MODEL	CAPACITY	DOORS	SHELVES	WEIGHT	EXTERN	AL (mm)		INTERN	AL (mm)	
			INC. BASE LEVEL		HEIGHT	WIDTH	DEPTH H	HEIGHT	WIDTH	DEPTH H
POD80	80 L	1	2	70kg	1375	785	635	1165	780	455
POD160	160 L	1	2	90kg	1375	785	900	1165	770	720
P0D250	250 L	1	2	130kg	1375	1035	900	1165	1025	720
POD250D	250 L	1	3	140kg	1857	785	900	1647	780	720
P0D350	350 L	1	3	185kg	1870	1185	900	1660	1180	720
P0D450	450 L	2	6	220kg	1870	1535	900	1660	1530	720

Notes: External height includes feet.

DANGEROUS GOODS STORAGE

CONVENIENT & SECURE ENCLOSURE

THIS RANGE OF CABINETS PROVIDE A CONVENIENT AND SECURE ENCLOSURE AND HELPS WITH GOOD HOUSE-KEEPING PRACTICES FOR THE STORAGE OF DANGEROUS GOODS.



FLAMMABLE LIQUID 3 Part number: DGFLB2727A

Description: PRATT DANGEROUS GOODS FLAMMABLE LIQUID 3 270 X 270 S/A LABEL



Part number: DG0XA2727A Description: PRATT DANGEROUS G00DS 0XIDISING AGENT 5.1 270 X 270 S/A LABEL



Part number: DGOPB2727A Description: PRATT DANGEROUS GOODS ORGANIC PEROXIDE 5.2 270 X 270 S/A LABEL



Part number: DGTOX2727A Description: PRATT DANGEROUS GOODS TOXIC 6 (PTM6.1TV) 270 X 270 S/A LABEL

GAS CYLINDER & AEROSOL Can storage cages

PRATT SAFETY SYSTEMS OFFER A COMPREHENSIVE RANGE OF GAS CYLINDER STORAGE CAGES TO SUIT MOST STORAGE REQUIREMENTS. WHETHER IT IS FOR STORING AEROSOL CANS, GAS CYLINDERS, FORKLIFT GAS CYLINDERS OR A MIXTURE. ALL PRATT GAS CYLINDER STORAGE CAGES COMPLY WITH THE REQUIREMENTS OF AUSTRALIAN STANDARD AS 4332 AND AS/NZS 1596. REFER TO THESE STANDARDS FOR MORE SPECIFIC STORAGE REQUIREMENTS AND COMPLIANCE.

CLASS 2: GASES

It is recommended the storage of Class 2 Gases should be within a wire mesh enclosure, such as our Pratt range of Gas Cylinder and Aerosol Storage Cages. These cages provide a secure storage facility for gas cylinders, encouraging good housekeeping, protection and isolation of the stored cylinders.

Many workplaces follow the guidelines of Australian Standard AS1940:2017 the storage and handling of flammable and combustible liquids and choose to store their aerosols in a flammable liquids cabinet. Aerosols of Divisions 2.1 and 2.2 may be stored in a store for Class 3 dangerous goods if projectile protection (e.g. cages) is provided.

We would recommend you separate these and store the Aerosols in a dedicated aerosol cages away from the Cabinet. Division: 2.1 Flammable gases Division: 2.2 Non-flammable, non-toxic gases Division: 2.3 Gas Toxic gases

Not all gases can be stored together. The following gases should be stored in separate cages. For example:

Division 2.1: Flammable Gases should not be stored with Division 2.3 Toxic Gases.

Division 2.1: Flammable Gases should not be stored with Division 2.2/5.1 Oxidizing Gases.

Division 2.2/5.1 Oxidizing Gases should not be stored with Division 2.3 Toxic Gases.

When selecting a gas cylinder storage cage, the above criteria must be considered, together with the type of gas, number, and sizing of the cylinders to be stored.

Further consideration must be given to the location of the storage cage as it is recommended they be located outdoors to allow for any leakage of gas to dissipate into the outside air.



DANGEROUS GOODS STORAGE

GAS CYLINDER & AEROSOL Can Storage Cages

ALL PRATT GAS CYLINDER STORAGE CAGES COMPLY WITH THE REQUIREMENTS OF AUSTRALIAN STANDARD AS4332 AND AS/NZS1596. REFER TO THESE STANDARDS FOR MORE SPECIFIC STORAGE REQUIREMENTS AND COMPLIANCE.

SPECIAL FEATURES:

- •Yellow powder coated steel construction, suitable for outdoor environments.
- •Solid steel roof and floor with steel mesh sides to provide ventilation
- All wall panels and doors are made of welded steel mesh within a sturdy steel frame for added strength.
- Strong magnetic door catches to hold doors closed and an eye lug for a padlock.
- (Are not valid for the 1A & 2A aerosol cages)
- Raised support legs with pre-drilled feet which can be permanently fixed to the ground. (Recommended) (Are not valid for the 1A & 2A aerosol cages)
- Capable of being moved by a forklift for relocation if required. Note only when cage is empty of cylinders.
- Available in a range of configurations for tall gas cylinders and forklift gas cylinders.
- Tall forklift cylinder storage cages include shelf to provide storage on two levels.
- Restraining chain to prevent cylinders from falling.





PSGC1A-FP



PSGC4A PSGC4F



PSGC8A PSGC8F



PSGC16F PSGC18V PSGC8F9V

PSUCIA	TP	PSULZA-TP PSU	JC4A PSOC4P		9V PSGC16A		8V PSGC8F9V
FLAT PACKED	ASSEMBLED	CAPACITY	STORAGE LEVELS	WEIGHT	HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)
PSGC1A-FP	N/A	UP TO 42 AEROSOL CANS	1	kg	360	560	490
PSGC2A-FP	N/A	UP TO 84 AEROSOL CANS	2	kg	660	560	490
PSGC4A-FP	PSGC4A	UP TO 200 AEROSOL CANS	2	kg	990	780	760
PSGC8A-FP	PSGC8A	UP TO 400 AEROSOL CANS	4	kg	1920	780	760
PSGC16A-FP	PSGC16A	UP TO 800 AEROSOL CANS	4	kg	1920	1520	760
PSGC4F-FP	PSGC4F	4 FORKLIFT CYLINDERS	1	kg	990	780	760
PSGC8F-FP	PSGC8F	8 FORKLIFT CYLINDERS	2	kg	1920	780	760
PSGC16F-FP	PSGC16F	16 FORKLIFT CYLINDERS	2	kg	1920	1520	760
PSGC9V-FP	PSGC9V	9 G-SIZED CYLINDERS	1	kg	1920	780	760
PSGC18V-FP	PSGC18V	18 G-SIZED CYLINDERS	1	kg	1920	1520	760
PSGC8F9V-FP	PSGC8F9V	8 FORKLIFT / 9 G-SIZED CYLINDERS	3	kg	1920	1520	760
-	PSGC-29L	Pratt Gas Cage Shelf Large	-	kg	-	-	-
-	PSGC-29S	Pratt Gas Cage Shelf Small	-	kg	-	-	-

Note: 1. The storage of cylinders should preferably be located out-of-doors in a well ventilated area away from any flame, heat or other ignition sources. 2. All cylinders must be stored vertically in accordance with the Australian standards and secured with chains provided 3. Aerosol qtys based on diameter of 68mm & loose containers (not packaged cartons) 4. Cylinder qtys based on boc cylinder specifications, this may differ for other manufacturers. For assembled cages allow up to 5 working days. TAAT

GAS CYLINDER & AEROSOL Can storage cages

MODEL	CAPACITY	STORAGE LEVELS	HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)
PSGC1A-FP	UP TOO 42 AEROSOL CANS	1	360	560	490
PSGC2A-FP	UP TOO 84 AEROSOL CANS	2	660	560	490
PSGC4A-FP	UP TOO 200 AEROSOL CANS	2	990	780	760
PSGC8A-FP	UP TOO 400 AEROSOL CANS	4	1920	780	760
PSGC16A-FP	UP TOO 800 AEROSOL CANS	4	1920	1520	760
PSGC4F-FP	4 FORKLIFT CYLINDERS	1	990	780	760
PSGC8F-FP	8 FORKLIFT CYLINDERS	2	1920	780	760
PSGC16F-FP	16 FORKLIFT CYLINDERS	2	1920	1520	760
PSGC9V-FP	9 G-SIZED CYLINDERS	1	1920	780	760
PSGC18V-FP	18 G-SIZED CYLINDERS	1	1920	1520	760
PSGC8F9V-FP	8FORKLIFT/9G-SIZEDCYLINDERS	3	1920	1520	760

Note: 1. The above quantities are based on the diameter of 68mm for the most common types of aerosol containers. 2. The quantities are also based on loose containers and not packaged in cartons. 3. The quantities represent the maximum capacity possible based on width and depth of the storage level. 4. The shelves are made of heavy gauge with reinforcing under the shelf for additional strength and support.

STORAGE OF STANDARD SIZED GAS CYLINDERS:

MODEL	PSGC9V	PSGC18V SIDE 1	PSGC18V SIDE 2	PSGC8F9V SIDE 1	PSGC8F9V SIDE 2
*ALL MEASUREMENTS IN MILLIMETERS	HxWxD	HxWxD	HxWxD	HxWxD	HxWxD
TOTAL EXTERNAL DIMENSIONS	1920 x 785 x 770	1920 x 1524 x 770		1920 x 1525 x 770	
INTERNAL STORAGE AREA OF CAGES : SINGLE LEVEL UPPER LEVEL LOWER LEVEL	1815 x 705 x 720	1815 x 705 x 720		1815 x 705 x 720	925 x 705 x 720 880 x 705 x 720
DOORWAY CLEARANCE	1780 x 700	1780 x 700	1780 x 700	1780 x 700	1780 x 700
FLOOR TO ROOF	1815	1815	1815	1815	

MODEL	PSGC4F	PSGC4F	PSGC16F SIDE 1	PSGC16F SIDE 2	PSGC8F9V SIDE 1	PSGC8F9V SIDE 2
*ALL MEASUREMENTS IN MILLIMETERS	H x W x D	HxWxD	H x W x D	HxWxD	H x W x D	
TOTAL EXTERNAL DIMENSIONS	990 x 780 x 760	1920 x 785 x 770	1920 x 1525 x 770		1920 x 1525 x 770	
INTERNAL STORAGE AREA OF CAGES : SINGLE LEVEL UPPER LEVEL LOWER LEVEL	920 x 705 x 720	925 x 705 x 720 890 x 705 x 720	925 x 705 x 720 890 x 705 x 720	925 x 675 x 720 890 x 675 x 720	1815 x 705 x 720	925 x 705 x 720 880 x 705 x 720

CHEMICAL SEGREGATION CHART



	CLASS		2	3		4			5	6	8
200		FLAMMABLE GAS	COMPRISED DLS	PLAMEABLE LIGITO		Portine cuty consusters	DANGEROUS MIEN VET	OXIDIZING AGENT 5.1	ORGANC PEROMIDE 5.2	Тохис	CORROSIVE
COMPRESSED GASES	FLAMMABLE GAS 2	Compatible	KEEP APART	Segregate from	Segregate from	Segregate from	Segregate from	Segregate from	BOUNTE	KEEP APART	KEEP APART
2.2 Non-flammable/ non-toxic		KEEP APART	Compatible	KEEP APART	Segregation may be necessary	Segregate from	Segregation may be necessary	Segregation may be necessary	Segregate from	Segregation may be necessary	KEEP APART
FLAMMABLE LIQUIDS (and Combustible liquids)	REAMMABLE IQUE	Segregate from	KEEP APART	Compatible	KEEP APART	Segregate from	Segregate from	Segregate from	BOLATE	KEEP APART	KEEP APART
FLAMMABLE SOLIDS		Segregate from	Segregation may be necessary	KEEP APART	Compatible	KEEP APART	Segregate from	Segregate from	Segregate from	KEEP APART	Segregation may be necessary
4.1 Flammable Solids 4.2 Spontaneously combustible		Segregate from	Segregate from	Segregate from	KEEP APART	Compatible	KEEP APART	Segregate from	SOLATE	KEEP APART	KEEP APART
4.3 Dangerous when wet	DANGEROUS WHEN WET	Segregate from	Segregation may be necessary	Segregate from	Segregate from	KEEP APART	Compatible	KEEP APART	Segregate from	Segregation may be necessary	Segregation may be necessary
OXIDIZING SUBSTANCES	OXTELING AGENT 5.1	Segregate from	Segregation may be necessary	Segregate from	Segregate from	Segregate from	KEEP APART	*	Segregate from	KEEP APART	KEEP APART
5.1 Oxidizing agents 5.2 Organic peroxides	ORGANE PEROXDE 5.2	FOLATE	Segregate from	SOUNE	Segregate from	BOUNTE	Segregate from	Segregate from	Compatible	KEEP APART	KEEP APART
TOXIC SUBSTANCES		KEEP APART	Segregation may be necessary	KEEP APART	KEEP APART	KEEP APART	Segregation may be necessary	KEEP APART	KEEP APART	Compatible	Segregation may be necessary
CORROSIVE SUBSTANCES a	CORRECEIVE	KEEP APART	KEEP APART	KEEP APART	Segregation may be necessary	KEEP APART	Segregation may be necessary	KEEP APART	KEEP APART	Segregation may be necessary	*

Compatible	Dangerous goods of the same Class should be compatible; consult SDS or suppliers about requirements for individual substances.
*	Dangerous goods of the same Class could be incompatible or react dangerously. Consult the SDS or suppliers about requirements for individual substances.
Segregation may be necessary	Segregation of these Classes may be necessary. Consult the SDS or supplier.
KEEP APART	Dangerous goods of these classes should be kept apart by at least 3m. Consult the SDS or supplier.
Segregate from	These combinations of dangerous goods should be segregated by at least 5m and kept in separate compounds or building compartments.
SOLITE	This requirement applies to organic peroxides, for which dedicated stores or storage cabinets are recommended, Adequate separation from other buildings and boundaries is required.

NOTES: 1. In all cases, the SDS or supplier of the goods should be consulted. 2. The segregation of dangerous goods of Division 1.4S may be necessary. Consult the SDS or the supplier of the goods. 3. Combustible liquids shall be segregated in the same manner as flammable liquids of Class. 3. 4. Dangerous goods of Class 9 should be segregated in accordance with SDS. 5. If the dangerous goods have a Sub-risk of another Class, then the segregation of the Sub-risk need to be determined and more stringent segregation requirements applied. 6. Where smoke detectors are to be stored, their supplier should be consulted and any specific storage and handling recommendations followed.

"ChemSafe" This information has been created using information and elements from ChemSafe.

PRATT SAFETY SYSTEMS

CABINET Spare Parts

METAL CABINET SPARE PARTS

P/NO	DESCRIPTION
739000	PRATT RECESSED DOOR HANDLE AND KEYS - LATCHING SUITS AS, AST & ASPH CABINETS
739003	PRATT SPARE KEYS - PAIR SUITS AS, AST & ASPH CABINETS
739005	PRATT VENT BUNG CAP ONE ONLY SUITS ALL CABINETS
739027	PRATT RECESSED DOOR HANDLE NON-LATCHING SUITS AOA, APO & AC4 CABINETS
739100	PRATT DOOR LATCH ASSEMBLY KIT SUITS 30L & 100L CABINETS
739101	PRATT DOOR LATCH ASSEMBLY KIT SUITS 60L CABINETS
739102	PRATT DOOR LATCH ASSEMBLY KIT SUITS 160L CABINETS
739103	PRATT DOOR LATCH ASSEMBLY KIT SUITS 250L, 350L & 425L CABINETS
739104	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 30L AND 60L CABINETS
739105	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 100L CABINETS
739106	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 250L AND 425L CABINETS
739107	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 160L CABINETS
739108	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 350L CABINETS
739109	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 30L & 60L COR. CABINETS
739110	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 100L CORROSIVE CABINETS
739111	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 250L & 425L COR. CABINET
739112	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 160L CORROSIVE CABINET
739113	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 350L CORROSIVE CABINET
739114	PRATT HYDRAULIC DOOR CLOSURE AND CHASSIS ASSEMBLY KIT SUITS 5560ASE 350L CABINET

POLY CABINET SPARE PARTS

P/NO	DESCRIPTION
738081	PRATT VENT KIT 2 x FLANGE, 2 x FLASH ARRESTER SUITS PSPH CORROSIVE CABINETS
738083	PRATT SPARE HANDLE/LATCH AND SPARE KEYS SUITS PSPH CORROSIVE CABINETS
738084	PRATT SHELF SUPPORT BRACKET PACK OF 7 SUITS PSPH CORROSIVE CABINETS
738085	PRATT DOOR HINGES (PAIR) SUITS PSPH CORROSIVE CABINETS

PRATT

ADDITIONAL SHELVES & TRAYS

P/NO	DESCRIPTION
5517-29S	PRATT SHELF. SUITS AS, AST,AOA AC4, APO 30L & 60L CABINETS
5535-295	PRATT SHELF. SUITS AS, AST,AOA AC4, APO 100L CABINETS
5545-29S	PRATT SHELF. SUITS AS, AST,AOA AC4, APO 160L & 250L CABINETS
5560-29S	PRATT SHELF. SUITS AS, AST 350LTR CABINETS
5560E-29S	PRATT SHELF, SUITS AS 1 DOOR 350LTR CABINET
5590-29S	PRATT SHELF, SUITS AS 425LTR CABINET
5517PH-29S	PRATT SHELF. SUITS ASPH 30LTR AND 60LTR CABINETS
5535PH-29S	PRATT SHELF. SUITS ASPH 100LTR CABINETS
5545PH-29S	PRATT SHELF. SUITS ASPH 160LTR & 250LTR CABINETS
5560PH-29S	PRATT SHELF. SUITS ASPH 350LTR CABINETS
5590PH-29S	PRATT SHELF. SUITS ASPH 425LTR CABINETS
5517-29TS	PRATT TRAY. SUITS ASPH 30LTR, 60LTR & 350LTR CABINETS
5535-29TS	PRATT TRAY. SUITS ASPH 100LTR CABINETS
5545-29TS	PRATT TRAY. SUITS ASPH 160LTR, 250LTR, 350LTR & 425LTR CABINETS
5512P-29	PRATT SHELF. SUITS PSPH 20LTR CABINETS
5516P-29	PRATT SHELF. SUITS PSPH 40LTR & 60LTR CABINETS
5535P-29	PRATT SHELF. SUITS PSPH 100LTR CABINETS
5545P-29	PRATT SHELF. SUITS PSPH 160LTR & 250LTR CABINETS





5535-29S



5517PH-29S



5560-29S

PRATT SAFETY Spill Kits Premium, Economy & NZ Kits

600

h







THE NINE STEPS TO EMERGENCY SPILL RESPONSE

STEP ONE ASSESS Assess risk.

STEP TWO IDENTIFY

Identify type of material spilled and the source. Use spill identification chart to ensure correct absorbent material is used.

STEP THREE **PROTECT**

Protect yourself by wearing the appropriate protective gear for the situation – if the source or the materials are identifiable, assume the worst.

STEP FOUR CONTAIN

Contain the liquid and seal the drains using booms (snakes).

STEP FIVE CONTROL

Control the spill by closing valves, rotating punctured drums and plugging leaks where it is possible and safe to do so.

STEP SIX **CLEAN UP** Clean up using absorbent materials.

STEP SEVEN

Dispose of used absorbents and spilt liquids in accordance with local laws.

STEP EIGHT DECONTAMINATE Decontaminate all tools and reusable

materials properly before reuse.

STEP NINE RESTOCK

Restock materials and safety equipment used in any clean-up operation.

FULLY EQUIPPED KITS READY TO HANDLE ANY SPILL GREAT OR SNALL OR SNALL

SPILL KIT IDENTIFICATION STRUCTURE

PRATT SAFETY SYSTEMS GOAL IS TO SOLVE KEY ISSUES CREATED BY THE LACK OF AN INDUSTRY SPILL STANDARD. THESE INCLUDE:

- On a site where there are coloured bins and/or packs similar to the spill kit (often used for waste or other storage) the recognition of a spill kit would be by reading the label only. This presents difficulty in cases where the labelling is not easily visibly, or English is not easily understood
- Where a spill kit has not been correctly identified, its use on an incompatible fluid can cause safety and

environmental risks or non-performance.

• Current spill kit label terminology can vary and be confusing for the user. For example the terms 'General Purpose' and 'Universal' are both used to describe a similar type of spill kit and users often misunderstand when and how these spill kits should be used.

TO OVERCOME THESE PROBLEMS, OUR WHEELIE BIN SPILL KITS WILL HAVE A LIME GREEN BASE WITH INDIVIDUAL **BIN APPLICATIONS BEING IDENTIFIED BY THE FOLLOWING NEW LID COLOURS:**



THE BENEFITS OF THE IDENTIFICATION STRUCTURE INCLUDE:

- COLOUR CODING: Having a recognisable colour for a spill kit with standard labelling enables the user to have more confidence that the right kit had been selected.
- IMPROVED IDENTIFICATION: This structure for identifying the purpose or type of a spill kit so that the fluids for which the kit is suitable, are more easily understood by the user, thus removing much of the existing confusion while increasing safety.
- STANDARDISATION: By standardising our Pratt Spill Kit range, this brings important emergency response equipment into line with similar standardisation that has been created for Fire Extinguishers, which also have a colour standard for recognition and type.

THE LID COLOURS HAVE BEEN SELECTED TO MATCH THE ABSORBENT COLOURS USED BY MOST SUPPLIERS FOR THE PURPOSES DESCRIBED.

Absorbent materials such as Booms, Pillows and Pads have also been coloured to suit the type of spill application that suits each kit.



PADS

HOW TO SELECT A SPILL KIT

AT SOME POINT IN TIME, NEARLY EVERY INDUSTRIAL FACILITY MUST DEAL WITH LEAKS AND SPILLS OF LIQUIDS. IN ORDER TO MINIMISE THE IMPACT THESE SPILLS HAVE ON EQUIPMENT, PERSONNEL, YOUR FACILITY AND THE ENVIRONMENT, YOU MUST HAVE AN ACTION PLAN THAT WILL PREVENT SPILLS FROM POLLUTING SOILS, GROUNDWATER, STORM WATER DRAINS AND WATERWAYS.

Part of that action plan should include a clearly labelled spill kit, located in an easily accessible location. The spill kit should contain items such as absorbent pads, booms, pillows, gloves and disposal bags.

CHOOSING A SPILL KIT:

When choosing a spill kit there are a few questions you need to consider.

THE SIZE AND CAPACITY OF THE SPILL KIT:

Choose a spill kit that enables you to absorb the maximum likely spill, not the total amount of liquid you have. Spill kit absorbency rates quoted by manufacturers are often based on maximum absorbency of very viscous liquids. Allow for this in your calculations - it's possible that you may need to halve the capacity of a spill kit given if you are absorbing a less viscous liquid, like diesel as an example.

THE MATERIALS FROM WHICH THE COMPONENTS ARE MADE FROM:

Manufacturers produce standard kits, however all components can be altered to suit different job requirements. There are generally two types of absorbents - one type absorbs all liquids such as degreasers, coolant, acids, hydrocarbons and water. The other will only absorb hydrocarbons. Determine which liquids may be spilled and then which type of absorbent you require. It may be that you need two types of spill kits.

GENERAL PURPOSE SPILL KITS:

Colour-coded grey and contain grey absorbents. They are ideal for all liquid spills, with the exception of aggressive acids or alkalis.

OIL & FUEL ONLY SPILL KITS:

Colour-coded white and contain white absorbents. They are designed to recover oils and fuels only, in and around water without absorbing the water. If the spill kit will be used for spills on soil rather than hard surfaces or concrete surfaces, choose a kit which includes ground and floor absorbents.

HAZCHEM SPILL KITS:

Colour-coded yellow and contain yellow absorbents. They are designed for acids, alkalis, coolants, paints and oils and fuels and are made from inert material which will not react with any absorbed liquids.




TN RC

SPILL TYPE IDENTIFICATION CHART

CHOOSE A SPILL KIT TYPE

Select a spill kit that is suitable to the type of spill that is being recovered.



SPILL KITS

SPILL KIT SELECTION CHART

1. CHOOSE AN ABSORBENT TYPE

Select a type .that is suitable for the type of spill that is being recovered.

GENERAL PURPOSE

Colour coded grey, will absorb both water and oil based. Best used for indoor spills.

Colour coded white, absorbing only oil based fluids. These are best used outdoors.

OIL & FUEL ONLY

Colour coded yellow, this type is used to clean up unknown, corrosive or aggressive hazchem spills. Can be used indoors and out.

HAZCHEM

2. CHOOSE A SUITABLE FORMAT

Select a format that is suitable of the type of spill that is being recovered.



3. CHOOSE A SUITABLE SIZE

Choose the size that suits the likely spill size.



SPILL GUIDI PREMIUM PRAT 240L SPILL KIT IIII PRAT PF PRO 6 m b **MOIN**

PREMIUM SPILL KITS COME FULLY EQUIPPED TO HANDLE ANY SPILL GREAT OR SMALL. WHEN IT COMES TO MAINTAINING A CLEAN AND SAFE WORKSPACE, THE PRATT PREMIUM SPILL KITS ARE YOUR GO TO FOR EVERYTHING YOU MAY NEED WHILE DEALING WITH A LIQUID BASED HAZARD. CONTAINING MULTIPLE ITEMS IN ALL ABSORBENT CATEGORIES, YOU'LL HAVE MORE THAN ENOUGH IN YOUR ARSENAL FOR ANY SITUATION.

Pratt Premium Spill Kits come in all sizes, from the abundant 240L bin, to the compact 25L bag, they all use the same quality Pratt products with varying quantities.

When selecting a spill kit, a Premium Spill Kit will reduce the frequency of replacing disposable elements needed to contain spills at home or in the workplace.

лляч

65

PREMIUM GENERAL PURPOSE SPILL KITS COLOUR CODED GREY FOR UNIVERSAL LIQUID SPILL ABSORPTION.

Ideal for all liquid spills with the exception of aggressive acids or alkalis. For general industry and non-industry applications. Commonly used in the automotive, industrial, commercial markets, warehousing, waste management and manufacturing industries.





P/NO: SKGP240



P/NO: SKGP075

P/NO: SKGP050

P/NO: SKGP025

CONTENTS	SIZE	P/NO	240L	120L	75L	50L	25L
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	1	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	-	1	1
GREY GENERAL PURPOSE BOOM	1.2m	BG420	4	2	2	2	1
GREY GENERAL PURPOSE BOOM	2.4m	BG840	2	-	1	-	-
GREY GENERAL PURPOSE PILLOW	420G	PG420	2	2	1	1	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	1
GREY GENERAL PURPOSE ABSORBENT PAD 10 PACK	300GSM	APG300	10	5	4	2	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	10	5	3	2	2
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
SPILL KIT REORDER FORM	-	SKRGP(SIZE)	1	1	1	1	1
SAFETYTAG	125x75mm	SK-STI12575	2	2	2	2	2
BARRICADE TAPE	100Mx75mm	SK-CT10075	1	1	-	-	-

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS.

P/NO: SKGP120



PREMIUM OIL & FUEL ONLY SPILL KITS

PREMIUM OIL & FUEL SPILL ONLY KITS COLOUR CODED WHITE FOR HYDROCARBON SPILL ABSORPTION.

Oil & Fuel Only absorbents take on board hydrocarbon liquids such as fuel, petrol, diesel, oil, solvents.

Additionally, they are designed to repel water making them ideal for oil & fuel spill recovery on either land or water.

For general industry and non-industry applications.







P/NO: SKOF240



P/NO: SKOF120



P/NO: SKOF075

P/NO: SKOF050

P/NO: SKOF025

CONTENTS	SIZE	P/NO	240L	120L	75L	50L	25L
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	1	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	-	1	1
WHITE OIL & FUEL ONLY BOOM	1.2m	BW420	4	2	2	2	1
WHITE OIL & FUEL ONLY BOOM	2.4m	BW840	2	-	1	-	-
WHITE OIL & FUEL ONLY PILLOW	420G	PW420	2	2	1	1	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	1
WHITE OIL & FUEL ONLY ABSORBENT PAD 10 PACK	300GSM	APW300	10	5	4	2	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	10	5	3	2	2
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
SPILL KIT REORDER FORM	-	SKROF(SIZE)	1	1	1	1	1
SAFETY TAG	125x75mm	SK-STI12575	2	2	2	2	2
BARRICADE TAPE	100Mx75mm	SK-CT10075	1	1	-	-	-

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS.

PREMIUM HAZCHEM SPILL KITS

PREMIUM HAZCHEM SPILL KITS COLOUR CODED YELLOW FOR HAZCHEM LIQUID SPILL ABSORPTION.

Designed for acids, alkalis, coolants, paints, oils and fuels, they are made from inert materials which will not react with any absorbed liquids.

For general industry and non-industry applications.





P/NO: SKH240



P/NO: SKH120

HAZCHE

P/NO: SKH075





P/NO: SKH025

CONTENTS	SIZE	P/NO	240L	120L	75L	50L	25L
ZEOLITE FLOOR SWEEP	30L	FSZ30	3	1	1	1	1
YELLOW HAZCHEM BOOM	1.2m	BY420	4	2	2	2	1
YELLOW HAZCHEM BOOM	2.4m	BY840	2	-	1	-	-
YELLOW HAZCHEM PILLOW	420G	PY420	2	2	1	1	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	1
YELLOW HAZCHEM ABSORBENT PAD 10 PACK	300GSM	APY300	10	10	4	2	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	10	5	3	2	2
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
SPILL KIT REORDER FORM	-	SKRH(SIZE)	1	1	1	1	1
SAFETY TAG	125x75mm	SK-STI12575	2	2	2	2	2
BARRICADE TAPE	100Mx75mm	SK-CT10075	1	1	-	-	-

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS.

TINER

ECONOWY \mathbf{K} ECONOM PRAT 240L SPILL KIT TIM PRAT [Desert] PRO

NEED A RELIABLE SPILL CONTAINMENT KIT WITHOUT BREAKING THE BUDGET? PRATT ECONOMY SPILL KITS ARE PERFECT FOR YOU!

Economy Spill Kits are your entry level Spill Kits, ensuring you can be prepared for any situation, even on a budget. Our Economy Spill Kits contain the same quality items as our Premium Range.

ECONOMY GENERAL PURPOSE SPILL KITS

ECONOMY GENERAL PURPOSE SPILL KITS COLOUR CODED GREY FOR UNIVERSAL LIQUID SPILL ABSORPTION.

Ideal for all liquid spills with the exception of aggressive acids or alkalis.

For general industry and non-industry applications. Commonly used in the automotive, industrial, commercial markets, warehousing, waste management and manufacturing industries.







P/NO: ESKGP240

P/NO: ESKGP120



P/NO: ESKGP075



P/NO: ESKGP050

P/NO: ESKGP025

CONTENTS	SIZE	P/NO	240L	120L	75L	50L	25L
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	1	1	-
GREY GENERAL PURPOSE BOOM	1.2m	BG420	2	2	2	2	1
GREY GENERAL PURPOSE BOOM	2.4m	BG840	2	-	-	-	-
GREY GENERAL PURPOSE PILLOW	420g	PG420	2	2	1	-	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	-
GREY GENERAL PURPOSE ABSORBENT PAD 10 PACK	300GSM	APG300	4	3	2	1	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	5	5	3	2	1
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
INSTRUCTION SHEET	-	ESKRGP(SIZE)	1	1	1	1	1

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS.

ECONOMY OIL & FUEL ONLY SPILL KITS



ECONOMY OIL & FUEL ONLY SPILL KITS COLOUR CODED WHITE FOR HYDROCARBON SPILL ABSORPTION.

Oil & Fuel Only absorbents take on board hydrocarbon liquids such as fuel, petrol, diesel, oil, solvents.

Additionally, they are designed to repel water making them ideal for oil & fuel spill recovery on either land or water.

For general industry and non-industry applications.







P/NO: ESKOF240

P/NO: ESKOF120



P/NO: ESKOF075



P/NO: ESKOF050



P/NO: ESKOF025

CONTENTS	SIZE	P/NO	240L	120L	75L	50L	25L
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	1	1	-
WHITE OIL & FUEL ONLY BOOM	1.2M	BW420	2	2	2	2	1
WHITE OIL & FUEL ONLY BOOM	2.4M	BW840	2	-	-	-	-
WHITE OIL & FUEL ONLY PILLOW	420G	PW420	2	2	1	-	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	-
WHITE OIL & FUEL ONLY ABSORBENT PAD 10 PACK	300GSM	APW300	4	3	2	1	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	5	5	3	2	1
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
INSTRUCTION SHEET	-	ESKROF(SIZE)	1	1	1	1	1

TVAC

TINER

ECONOMY HAZCHEM SPILL KITS

ECONOMY HAZCHEM SPILL KITS COLOUR **CODED YELLOW FOR HAZCHEM LIQUID SPILL ABSORPTION.**

Designed for acids, alkalis, coolants, paints and oils and fuels and are made from inert material which will not react with any absorbed liquids.

For general industry and non-industry applications.







P/NO: ESKH240

P/NO: ESKH120



P/NO: ESKH075



P/NO: ESKH050

P/NO: ESKH025

CONTENTS	SIZE	P/NO	240L	120L	75L	50L	25L
ZEOLITE FLOOR SWEEP	30L	FSZ30	3	1	1	1	-
YELLOW HAZCHEM BOOM	1.2M	BY420	2	2	2	2	1
YELLOW HAZCHEM BOOM	2.4M	BY840	2	-	-	-	-
YELLOW HAZCHEM PILLOW	420G	PY420	2	2	1	-	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	-
YELLOW HAZCHEM ABSORBENT PAD 10 PACK	300GSM	APY300	4	5	2	1	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	5	5	3	2	1
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
INSTRUCTION SHEET	-	ESKRH(SIZE)	1	1	1	1	1

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS.

SPILL KITS

NZ ONLY SPILL KTS

NZ ONLY SPILL KITS-GENERAL PURPOSE

NZ GENERAL PURPOSE SPILL KITS COLOUR **CODED GREY FOR UNIVERSAL LIQUID SPILL ABSORPTION.**

Ideal for all liquid spills with the exception of aggressive acids or alkalis.

For general industry and non-industry applications. Commonly used in the automotive, industrial, commercial markets, warehousing, waste management and manufacturing industries.







P/NO: NZSKGP120





P/NO: NZSKGP050


P/NO: NZSKGP025

CONTENTS	SIZE	P/NO	240L	120L	50L	25L
GREY GENERAL PURPOSE ABSORBENT PAD 10 PACK	-	APG300	6	3	2	1
GREY GENERAL PURPOSE BOOM	1.2m	BG420	2	2	2	2
GREY GENERAL PURPOSE BOOM	2.4m	BG840	2	-	-	-
GREY GENERAL PURPOSE PILLOW	-	PG420	6	1	2	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	3	2	-	-
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-
CONTAMINATED WASTE BAG	-	SK-CWB	4	4	2	2
DUST PAN AND BRUSH SET	-	DPBS	1	1	-	
RE- ORDER FORM	-	NZSKRGP(SIZE)	1	1	1	1

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS.

NZ ONLY SPILL KITS

NZ ONLY SPILL KITS-OIL & FUEL



NZ OIL & FUEL ONLY SPILL KITS COLOUR CODED WHITE FOR HYDROCARBON SPILL ABSORPTION.

Oil & Fuel Only absorbents take on board hydrocarbon liquids such as fuel, petrol, diesel, oil, solvents.

Additionally, they are designed to repel water making them ideal for oil & fuel spill recovery on either land or water.

For general industry and non-industry applications.





P/NO: NZSKOF240



P/NO: NZSKOF120



P/NO: NZSKOF050

DIL P DI

P/NO: NZSKOF025

CONTENTS	SIZE	P/NO	240L	120L	50L	25L
WHITE OIL & FUEL ONLY ABSORBENT PAD 10 PACK	-	APW300	6	3	2	1
WHITE OIL & FUEL ONLY BOOM	1.2m	BW420	3	2	2	2
WHITE OIL & FUEL ONLY BOOM	2.4m	BW840	3	-	-	-
WHITE OIL & FUEL ONLY PILLOW	-	PW420	3	1	2	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	3	2	-	-
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-
CONTAMINATED WASTE BAG	-	SK-CWB	4	2	2	2
DUST PAN AND BRUSH SET	-	DPBS	1	1	-	-
NITRILE GLOVES	-	SK-RNF15L	1	1	1	1
RE- ORDER FORM	-	NZSKROF(SIZE)	1	1	1	1

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS.

TAAT

РА∧П

HAZCHEM Spill kit

NZ ONLY SPILL KITS -Hazchem

NZ HAZCHEM SPILL KITS COLOUR CODED YELLOW FOR HAZCHEM LIQUID SPILL ABSORPTION.

Designed for acids, alkalis, coolants, paints and oils and fuels and are made from inert material which will not react with any absorbed liquids.

For general industry and non-industry applications.



EUROPE SWEEP SWEEP SWEEP

P/NO: NZSKH240

P/NO: NZSKH120



P/NO: NZSKH050

PRAT

HAZCHEM Spill kit



P/NO: NZSKH025

CONTENTS	SIZE	P/N0	240L	120L	50L	25L
YELLOW HAZCHEM ABSORBENT PAD 10 PACK		APY300	10	3	2	1
YELLOW HAZCHEM BOOM	1.2M	BY420	3	2	2	2
YELLOW HAZCHEM BOOM	2.4M	BY840	3	-	-	-
YELLOW HAZCHEM PILLOW		PY420	3	1	2	-
ZEOLITE FLOOR SWEEP	30L	FSZ30	4	3	0	0
CONTAMINATED WASTE BAG	-	SK-CWB	5	5	1	1
DUST PAN AND BRUSH SET	-	DPBS	1	1	-	-
NITRILE GLOVES	-	SK-RNF15L	1	1	1	1
RE- ORDER FORM	-	NZSKRH(SIZE)	1	1	1	1

NOTE: FOR CURRENT SPILL KIT CONTENTS, PLEASE REFER TO OUR WEBSITE. ALL KITS COME WITH RELATIVE BINS/BAGS. NZ ONLY SPILL KITS

ABSORBENT MATERIALS

HOW ARE SPILLS ABSORBED? BY USING ABSORBENT MATERIAL. IN EACH SPILL KIT THERE ARE MULTIPLE METHODS AVAILABLE TO CONTAIN ANY SPILL NO MATTER THE SIZE. USING ABSORBENT MATERIALS ENSURES THAT THE SPILL IS CLEANED UP EFFECTIVELY, EFFICIENTLY, AND PROPERLY DISPOSED OF.

Each item of absorbent material has its own specific use when dealing with a spill, these are:

- Booms Ideal for blocking drains, containing a spill before it spreads or pollutes the environment and waterways.
- Pads Used to wipe tools and collect smaller spills that still pose a risk to the workplace.
- Pillows Quickly soak a large amount of liquid. Able to be squeezed and reused.
- Floor Sweeps Lightweight and easy to spread. Floor sweep can be used indoors and outdoors, on any surface
 including concrete and dirt, and in some cases, water.

ABSORBENT BOOMS GENERAL PURPOSE | OIL & FUEL ONLY | HAZCHEM

ABSORBENT BOOMS ARE FLEXIBLE TUBES USED TO CONTAIN AND CLEAN-UP SPILLED FLUIDS. BOOMS ARE WIDELY USED IN INDUSTRIAL APPLICATIONS AND ARE IDEAL FOR SPILL KITS. FAST SPREADING SPILLS ARE QUICKLY STOPPED WITH A BOOM. OUR FULL LINE OF BOOMS ALL HAVE POLYPROPYLENE SLEEVES AND CONTAIN THE QUALITY, 100% POLYPROPYLENE FILL.

General purpose booms are offered in grey. Oil & fuel only booms are available in white. Hazardous material spills should be tackled with our yellow hazchem boom.

INSTRUCTIONS OF USE

- **STEP 1:** Place booms around spill to prevent further spread.
- **STEP 2:** Overlap booms by 5cm to eliminate gaps. For uneven surfaces, step on sock to ensure seal.
- **STEP 3:** Use pillows to absorb collected liquid or to plug drains.

GENERAL PURPOSE ABSORBENT BOOMS

General Purpose Boom colour coded grey for universal liquid spill absorption. Ideal for all liquid spills with the exception of aggressive acids or alkalis. For general industry and non-industry applications.

- Universal fluid absorption.
- Dimensions:
- BG420 L:1.2M x W:7.6cm. BG840 - L:2.4M x W:7.6cm.

OIL & FUEL ONLY ABSORBENT BOOMS

Oil & Fuel Only Boom colour coded white for hydrocarbon spill absorption. Oil & Fuel Only absorbents take on board fuel, petrol, diesel, oil, solvents. Additionally, they are designed to repel water. For general industry and non-industry applications.

- Oil & Fuel Only fluid absorption.
- Dimensions: BW420 - L:1.2M x W:7.6cm. BW840 - L:2.4M x W:7.6cm.

HAZCHEM ABSORBENT BOOMS

Hazchem Boom colour coded yellow for hazchem liquid spill absorption. Designed for acids, alkalis, coolants, paints and oils and fuels and are made from inert material which will not react with any absorbed liquids. For general industry and non-industry applications.

- Chemical fluid absorption.
- Dimensions: BY420 - L:1.2M x W:7.6cm. BY840 - L:2.4M x W:7.6cm.



P/NO: BG420/BG840





P/NO MATERIAL COLOUR DIMENSIONS PACKAGE QTY WEIGHT **BG420** Polypropylene, Cotton 420g/pc GREY L:1.2M x W:7.6cm 12pcs/bag 5kg/bag **BG840** GREY L:2.4M x W:7.6cm Polypropylene, Cotton 840g/pc 6pcs/bag 5kg/bag **BW420** WHITE Polypropylene, 420g/pc L:1.2M x W:7.6cm 12pcs/bag 5kg/bag WHITE **BW840** L:2.4M x W:7.6cm Polypropylene, 840g/pc 6pcs/bag 5kg/bag **BY420** Polypropylene, 420g/pc YELLOW L:1.2M x W:7.6cm 12pcs/bag 5kg/bag **BY840** Polypropylene, 840g/pc YELLOW L:2.4M x W:7.6cm 6pcs/bag 5kg/bag

ABSORBENT PILLOWS GENERAL PURPOSE | OIL & FUEL ONLY | HAZCHEM

ABSORBENT PILLOWS ARE USED TO CONTAIN LEAKS AND CONSTANT DRIPS THAT ARE TOO LARGE FOR AN ABSORBENT PAD.

Pillows absorb large quantities of spilled fluids, shortening your spill response time. Pillows are ideal for tight spaces under leaky equipment and drums. Our full line of pillows all have a strong, lint-free spun bond outer layer and contain quality 100% polypropylene fill.

General Purpose Pillows are offered in grey. Oil and Fuel Only Pillows are available in white. Hazardous material spills should be tackled with our yellow Hazchem Pillows.

INSTRUCTIONS OF USE

- **STEP 1:** Place booms around spill to prevent further spread.
- **STEP 2:** Overlap boom by 5cm to eliminate gaps. For uneven surfaces, step on sock to ensure seal.
- **STEP 3:** Use pillows to absorb collected liquid or to plug drains.

GENERAL PURPOSE ABSORBENT PILLOWS

General Purpose Pillow colour coded grey for universal liquid spill absorption. Ideal for all liquid spills with the exception of aggressive acids or alkalis. For general industry and non-industry applications.

- Universal fluid absorption.
- Dimensions: L:46cm x W:44cm.

OIL & FUEL ONLY ABSORBENT PILLOWS

Oil & Fuel Only Pillow colour coded white for hydrocarbon spill absorption. Oil & Fuel Only absorbents take on board hydrocarbon liquids such as fuel, petrol, diesel, oil, solvents. Additionally, they are designed to repel water making them ideal for oil & fuel spill recovery on either land or water. For general industry and nonindustry applications.

Oil & Fuel Only fluid absorption.
Dimensions: L:46cm x W:44cm.

HAZCHEM ABSORBENT PILLOWS

Hazchem Pillow colour coded yellow for hazchem liquid spill absorption. Designed for acids, alkalis, coolants, paints and oils and fuels and are made from inert material which will not react with any absorbed liquids. For general industry and non-industry applications.

- Chemical fluid absorption.
- Dimensions: L:46cm x W:44cm.



P/NO	MATERIAL	COLOUR	DIMENSIONS	PACKAGE QTY	WEIGHT
PG420	Polypropylene, Cotton 420g/pc	GREY	L:46cm x W:44cm	10pcs/bag	4.2kg/bag
PW420	Polypropylene, 420g/pc	WHITE	L:46cm x W:44cm	10pcs/bag	4.2kg/bag
PY420	Polypropylene, 420g/pc	YELLOW	L:46cm x W:44cm	10pcs/bag	4.2kg/bag



ABSORBENT PADS ARE MADE FROM POLYPROPYLENE FIBERS AND ARE THE MOST POPULAR FORM OF ABSORBENTS.

The Pratt spill range offers various types of absorbent pads for different liquids and site applications. The most widely used Absorbent Pads are General Purpose (grey), Oil & Fuel Only (white) and Hazchem (yellow).

Pads are great for spills on water or land, absorbing many times their own weight in recovered liquid.

INSTRUCTIONS OF USE

- **STEP 1:** Place suitable number of pads on spill for immediate absorption.
- **STEP 2:** Remove pads carefully, as all pads tend to over saturate and will drip liquid.
- **STEP 3:** Place a layer of Floor Sweep, or an extra pad, in the bottom of the waste bag, to absorb any free liquid.

GENERAL PURPOSE ABSORBENT PADS

General Purpose Pad colour coded grey for universal liquid spill absorption. Ideal for all liquid spills with the exception of aggressive acids or alkalis. For general industry and non-industry applications.

- Heavy weight absorbency.
- Universal fluid absorption.
- Perforated on Centerline in Length.
- Dimensions: L:48cm x W:43cm.

OIL & FUEL ONLY ABSORBENT PADS

Oil & Fuel Only Pad colour coded white for hydrocarbon spill absorption.

Oil & Fuel Only absorbents take on board hydrocarbon liquids such as fuel, petrol, diesel, oil, solvents. Additionally, they are designed to repel water making them ideal for oil & fuel spill recovery on either land or water. For general industry and nonindustry applications.

- Heavy weight absorbency.
- Oil & Fuel Only fluid absorption.
- Perforated on Centerline in Length.
- Dimensions: L:48cm x W:43cm.

HAZCHEM Absorbent Pads

Hazchem Pad colour coded yellow for hazchem liquid spill absorption. Designed for acids, alkalis, coolants, paints and oils and fuels and are made from inert material which will not react with any absorbed liquids. For general industry and non-industry applications.

- Heavy weight absorbency.
- Chemical fluid absorption.
- Perforated on Centerline in Length.
- Dimensions: L:48cm x W:43cm.



P/NO	MATERIAL	COLOUR	DIMENSIONS	PACKAGE QTY	WEIGHT
APG300	Polypropylene, 300g/m2	GREY	L:48cm x W:43cm	100pcs/bag	6.2kg/bag
APW300	Polypropylene, 300g/m2	WHITE	L:48cm x W:43cm	100pcs/bag	6.2kg/bag
APY300	Polypropylene, 300g/m2	YELLOW	L:48cm x W:43cm	100pcs/bag	6.2kg/bag

FLOOR SWEEPS



FLOOR SWEEPS ARE A SIMPLE SOLUTION TO ANY SPILL CONTROL NEEDS. AVAILABLE IN A RANGE OF SIZES, FLOOR SWEEPS ARE LIGHTWEIGHT AND EASILY ACCESSIBLE.

Ground to a light crumb like substance that is easy to spread over a large area, or take a small handful and absorb a minor spill if needed. Due to its minuscule nature, Floor Sweeps are perfect for collecting liquid from all surfaces smooth and rough, including concrete, bitumen and dirt.

Available in:

- General Purpose Universal, for use with most spillage.
- Organic For use with most liquid spills- including, mild acids and caustics, oil & fuel, body fluids, paint and resins.
- Zeolite For use with hazchem spills.

FLOOR SWEEPGENERAL PURPOSE | OIL & FUEL ONLY | HAZCHEM

PRATT FLOOR SWEEP FOR USE WITH SPILLS. VERSATILE ENOUGH TO ABSORB MOST LIQUID SPILLS INCLUDING CHEMICAL, PETROLEUM AND TOXIC SPILLAGE. ALL NATURAL, NON TOXIC. SHOULD NOT BE USED ON STRONG ACID OR ALKALINE SOLUTIONS.

GENERAL PURPOSE FLOOR SWEEP 15L / 30L

Pratt General Purpose Floor Sweep is manufactured from a special selection of organic cellulose products. These naturally occurring fibrous materials are blended, dried and densified, and they can quickly absorb a wide variety of liquid including petroleum, oils, fuels, solvents, cooking oils, sewage, protein fluids and other messy liquids that could pollute or contaminate the work area and the environment.

These absorbents however, should not be used on strong acid or alkaline solutions. Because of its strong "wicking effect" it is able to rapidly encapsulate liquids so that they cannot leach back into the environment. In many regions, Pratt General Purpose Floor Sweep can be disposed of to landfill, however this is subject to local regulations.

INSTRUCTIONS OF USE

- **STEP 1:** Liberally spread Pratt Floor Sweep over affected area.
- **STEP 2:** Firmly brush to effectively absorb all liquid.
- **STEP 3:** Dispose of used absorbents and spilt liquids in accordance with local laws.
- Highly absorbent, biodegradable, environmentally friendly materials.
- Rapidly encapsulates hydrocarbons (oils, fuels, grease etc) & many other liquids.
- Light weight, easy to apply, simple to use.
- Made of all natural, cellulose materials.
- Does not contain crystalline silica (classified group 1: carcinogenic to humans).
- A solution combining cleaning and spill control in one effective treatment system.
- Safe to use on all surfaces. (as FSGP contains natural fibres, it may stain pale surfaces when mixed with liquid).
- Ideal for domestic, commercial and industrial applications.
- Available in 5kg and 10kg bags.



P/NO: FSGP15



P/NO: FSGP30

P/NO	MATERIAL	BAG CAPACITY	DIMENSIONS	WEIGHT
FSGP15	CELLULOSE MATERIAL	15L/bag	L:50cm X W:38cm	5kg/bag
FSGP30	CELLULOSE MATERIAL	30L/bag	L:66cm X W:51cm	10kg/bag

ORGANIC Floor sweeps



SPILL FIX ORGANIC FLOOR SWEEP FOR USE WITH SPILLS. VERSATILE ENOUGH TO ABSORB MOST LIQUID SPILLS INCLUDING MILD ACIDS AND CAUSTICS, OIL & FUEL, BODY FLUIDS, PAINT AND RESINS.



INSTRUCTIONS OF USE

- **STEP 1:** Liberally spread Organic Floor Sweep over affected area.
- **STEP 2:** Firmly brush to effectively absorb all liquid.
- **STEP 3:** Dispose of used absorbents and spilt liquids in accordance with local laws.

SPILL FIX ORGANIC FLOOR SWEEP ALL PURPOSE 50L

SpillFix is a highly stable absorbent that is suitable for use in a tremendously wide range of hazardous and non-hazardous liquid spill applications. SpillFix Industrial Organic Absorbent is classified as a not readily combustible solid material.

- All natural, organic and light-weight.
- Non-carcinogenic and non-toxic.
- Dust-free.
- Fast, easy to use and cleans on contact.
- Highly absorbent.
- Leaves no slippery residue.
- Works faster, making spill surface safer, quicker.
- Nonabrasive, won't damage floors and equipment.
- Non-hazardous landfill safe.*

All Purpose Absorbent Rapidly Absorbs:

- Fuels and Lubricants.
- All Automotive Fluids.
- Mild Acids and caustics.
- Cooking Oils and Grease.
- Detergent & Softeners.
- Milk and Soft Drink.
- Juices and Syrups.
- Sauces and Salad Dressing.
- Blood and Body Fluids.
- Paint, Chemicals and Resins.

SpillFix is certified safe around food and has the Nonfood Compounds Program listing (J1)#152371. This makes it one of the only industrial absorbents that can be safely recommended for use in commercial and domestic kitchens alike.

*Refer to local authorities for more details.



P/NO: FSAP50

P/NO	MATERIAL	BAG CAPACITY	DIMENSIONS	WEIGHT
FSAP50	NATURAL COIR FIBER PITH	50L/bag	L:60cm x W:38cm x D:14cm	9kg/bag

FLOOR SWEEPS

ZEOLITE Floor Sweep



ZEOLITE IS A MINERAL-BASED UNIVERSAL ABSORBENT USED TO REMOVE ALL LIQUID SPILLS FROM HARD SURFACES SUCH AS CONCRETE AND BITUMEN. IT IS IDEAL WHEN SURFACES ARE WEATHERED AND POROUS. USE ZEOLITE FLOOR SWEEP IN WINDY CONDITIONS WHEN A HEAVY, GRANULAR ABSORBENT IS REQUIRED.

INSTRUCTIONS OF USE

- **STEP 1:** Liberally spread Pratt Zeolite Floor Sweep over affected area.
- **STEP 2:** Firmly brush to effectively absorb all liquid.
- **STEP 3:** Dispose of used absorbents and spilt liquids in accordance with local laws.

ZEOLITE FLOOR SWEEP 30L

Zeolite is a mineral-based universal absorbent used to remove all liquid spills from hard surfaces such as concrete and bitumen. It is ideal when surfaces are weathered and porous. Use Zeolite Floor Sweep in windy conditions when a heavy, granular absorbent is required. Natural Zeolite can successfully absorb spills of oil, fuel, coolants, paints, degreaser, and mild acid. In addition, it eliminates odors and toxic vapors caused by spills on contact. Also, Zeolite has a strong framework and unlike clay products, does not break down when saturated

- All natural heat sterilised mineral contains no chemicals.
- Exceeds EPA landfill leachate tests.
- Absorbs immediately on contact.
- Super absorbent capacity.
- It will not leach back absorbed fluids ecologically safe.
- Maintains strength integrity when fully absorbed reduces slippage and makes clean-up easy.
- Natural bonding action of zeolite makes it far more active in the absorption process.
- Particle size gradation designed to maximise absorption and minimise floor residue.
- De-Dusted to reduce surface bogging and improves handling.
- Strong wicking action to pull spills from the surface.



P/NO: FSZ30

P/NO	MATERIAL	BAG CAPACITY	DIMENSIONS	WEIGHT
FSZ30	ABSORBENT ZEOLITE GRANULES	30L/bag	L:80cm x W:35cm x D:12cm	20kg/bag

SPILL KIT



SPILL KITS REFILLS ARE A PERFECT, COST EFFECTIVE WAY OF MAINTAINING A PRATT SPILL KIT WHEN THE BIN OR BAG IS ALREADY IN USE.

These refill kits contain everything a normal spill kit would, except for the bin or bag. Use these spill kit refills as a way of replenishing stocks and equipment while keeping the original Pratt spill kit bin or bag.

Available in general purpose, oil and fuel only and hazchem to suit all bin and bag sizes in both premium and economy spill kits.

PREMIUM SPILL KIT REFILLS



PREMIUM GENERAL PURPOSE SPILL KITS

CONTENTS	SIZE	P/NO	SKRFGP240	SKRFGP120	SKRFGP075	SKRFGP050	SKRFGP025
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	1	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	-	1	1
GREY GENERAL PURPOSE BOOM	1.2m	BG420	4	2	2	2	1
GREY GENERAL PURPOSE BOOM	2.4m	BG840	2	-	1	-	-
GREY GENERAL PURPOSE PILLOW	420G	PG420	2	2	1	1	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	1
GREY GENERAL PURPOSE ABSORBENT PAD 10 PACK	300GSM	APG300	10	5	4	2	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	10	5	3	2	2
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
SPILL KIT REORDER FORM	-	SKRGP(SIZE)	1	1	1	1	1
SAFETYTAG	125x75mm	SK-STI12575	2	2	2	2	2
BARRICADE TAPE	100Mx75mm	SK-CT10075	1	1	-	-	-

PREMIUM OIL & FUEL ONLY SPILL KITS

CONTENTS	SIZE	P/NO	SKRFOF240	SKRF0F120	SKRFOF075	SKRFOF050	SKRF0F025
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	1	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	-	1	1
WHITE OIL & FUEL ONLY BOOM	1.2m	BW420	4	2	2	2	1
WHITE OIL & FUEL ONLY BOOM	2.4m	BW840	2	-	1	-	-
WHITE OIL & FUEL ONLY PILLOW	420G	PW420	2	2	1	1	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	1
WHITE OIL & FUEL ONLY ABSORBENT PAD 10 PACK	300GSM	APW300	10	5	4	2	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	10	5	3	2	2
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
SPILL KIT REORDER FORM	-	SKROF(SIZE)	1	1	1	1	1
SAFETYTAG	125x75mm	SK-STI12575	2	2	2	2	2
BARRICADE TAPE	100Mx75mm	SK-CT10075	1	1	-	-	-

PREMIUM HAZCHEM SPILL KITS

CONTENTS	SIZE	P/NO	SKRFH240	SKRFH120	SKRFH075	SKRFH050	SKRFH025
ZEOLITE FLOOR SWEEP	30L	FSZ30	3	1	1	1	1
YELLOW HAZCHEM BOOM	1.2m	BY420	4	2	2	2	1
YELLOW HAZCHEM BOOM	2.4m	BY840	2	-	1	-	-
YELLOW HAZCHEM PILLOW	420G	PY420	2	2	1	1	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	1
YELLOW HAZCHEM ABSORBENT PAD 10 PACK	300GSM	APY300	10	10	4	2	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	10	5	3	2	2
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
SPILL KIT REORDER FORM	-	SKRH(SIZE)	1	1	1	1	1
SAFETYTAG	125x75mm	SK-STI12575	2	2	2	2	2
BARRICADE TAPE	100Mx75mm	SK-CT10075	1	1	-	-	-

ECONOMY Spill Kit Refills



ECONOMY GENERAL PURPOSE SPILL KITS

CONTENTS	SIZE	P/NO	ESKRFGP240	ESKRFGP120	ESKRFGP075	ESKRFGP050	ESKRFGP025
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	1	1	-
GREY GENERAL PURPOSE BOOM	1.2m	BG420	2	2	2	2	1
GREY GENERAL PURPOSE BOOM	2.4m	BG840	2	-	-	-	-
GREY GENERAL PURPOSE PILLOW	420g	PG420	2	2	1	-	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	-
GREY GENERAL PURPOSE ABSORBENT PAD 10 PACK	300GSM	APG300	4	3	2	1	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	5	5	3	2	1
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
INSTRUCTION SHEET	-	ESKRGP(SIZE)	1	1	1	1	1

ECONOMY OIL & FUEL ONLY SPILL KITS

CONTENTS	SIZE	P/NO	ESKRF0F240	ESKRF0F120	ESKRFOF075	ESKRFOF050	ESKRFOF025
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-	-
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	-	-	1	1	-
WHITE OIL & FUEL ONLY BOOM	1.2M	BW420	2	2	2	2	1
WHITE OIL & FUEL ONLY BOOM	2.4M	BW840	2	-	-	-	-
WHITE OIL & FUEL ONLY PILLOW	420G	PW420	2	2	1	-	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	-
WHITE OIL & FUEL ONLY ABSORBENT PAD 10 PACK	300GSM	APW300	4	3	2	1	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	5	5	3	2	1
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
INSTRUCTION SHEET	-	ESKROF(SIZE)	1	1	1	1	1

ECONOMY HAZCHEM SPILL KITS

CONTENTS	SIZE	P/NO	ESKRFH240	ESKRFH120	ESKRFH075	ESKRFH050	ESKRFH025
ZEOLITE FLOOR SWEEP	30L	FSZ30	3	1	1	1	-
YELLOW HAZCHEM BOOM	1.2M	BY420	2	2	2	2	1
YELLOW HAZCHEM BOOM	2.4M	BY840	2	-	-	-	-
YELLOW HAZCHEM PILLOW	420G	PY420	2	2	1	-	-
DUST PAN AND BRUSH SET	-	DPBS	1	1	1	1	-
YELLOW HAZCHEM ABSORBENT PAD 10 PACK	300GSM	APY300	4	5	2	1	1
CONTAMINATED WASTE BAG	900x600mm	SK-CWB	5	5	3	2	1
GREEN NITRILE GLOVES	XL	SK-RNF15XL	2	2	1	1	1
INSTRUCTION SHEET	-	ESKRH(SIZE)	1	1	1	1	1

TIAFIC

NZ ONLY SPILL -

KIT REFILLS

CONTENTS	SIZE	P/NO	NZSKRFGP240	NZSKRFGP120	NZSKRFGP050	NZSKRFGP025	
GREY GENERAL PURPOSE ABSORBENT PAD 10 PK	-	APG300	6	3	2	1	
GREY GENERAL PURPOSE BOOM	1.2m	BG420	2	2	2	2	
GREY GENERAL PURPOSE BOOM	2.4m	BG840	2	-	-	-	
GREY GENERAL PURPOSE PILLOW	-	PG420	6	1	2	-	APG300
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	3	2	-	-	N III
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-	
CONTAMINATED WASTE BAG	-	SK-CWB	4	4	2	2	
DUST PAN AND BRUSH SET	-	DPBS	1	1	-		
RE- ORDER FORM	-	NZSKRGP(SIZE)	1	1	1	1	BG420

NZ - OIL & FUEL ONLY SPILL KITS

CONTENTS	SIZE	P/NO	NZSKRF0F240	NZSKRFOF120	NZSKRFOF050	NZSKRF0F025
WHITE OIL & FUEL ONLY ABSORBENT PAD 10 PK	-	APW300	6	3	2	1
WHITE OIL & FUEL ONLY BOOM	1.2m	BW420	3	2	2	2
WHITE OIL & FUEL ONLY BOOM	2.4m	BW840	3	-	-	-
WHITE OIL & FUEL ONLY PILLOW	-	PW420	3	1	2	0
GENERAL PURPOSE FLOOR SWEEP	15L	FSGP15	3	2	-	-
GENERAL PURPOSE FLOOR SWEEP	30L	FSGP30	3	2	-	-
CONTAMINATED WASTE BAG	-	SK-CWB	4	2	2	2
DUST PAN AND BRUSH SET	-	DPBS	1	1	-	-
NITRILE GLOVES	-	SK-RNF15L	1	1	1	1
RE- ORDER FORM	-	NZSKROF(SIZE)	1	1	1	1

NZ - HAZCHEM SPILL KITS

CONTENTS	SIZE	P/NO	NZSKRFH240	NZSKRFH120	NZSKRFH050	NZSKRFH025
YELLOW HAZCHEM ABSORBENT PAD 10 PK		APY300	10	3	2	1
YELLOW HAZCHEM BOOM	1.2M	BY420	3	2	2	2
YELLOW HAZCHEM BOOM	2.4M	BY840	3	-	-	-
YELLOW HAZCHEM PILLOW		PY420	3	1	2	-
ZEOLITE FLOOR SWEEP	30L	FSZ30	4	3	0	0
CONTAMINATED WASTE BAG	-	SK-CWB	5	5	1	1
DUST PAN AND BRUSH SET	-	DPBS	1	1	-	-
NITRILE GLOVES	-	SK-RNF15L	1	1	1	1
RE- ORDER FORM	-	NZSKRH(SIZE)	1	1	1	1



DPBS

SK-RNF15L

SPILL KIT ACCESSORIES



EACH PRATT SPILL KIT COMES WITH VARIOUS ACCESSORIES AS STAPLE EXTRAS DEPENDING ON KIT SIZE. INCLUDING CONTAMINATED WASTE BAG, NITRILE CHEMICAL GLOVES, DUST PAN AND BRUSH, BARRICADE TAPE, SAFETY TAG AND BIN LID COVERS.

*Additional PPE accessories also available that aren't supplied as standard. Refer to page 89

SPILL KIT COMPONENTS **& ACCESSORIES**

SPILL KIT BIN COVER

P/NO	DESCRIPTION	SIZE
BC240G	GENERAL PURPOSE SPILL KIT BIN COVER - GREY	240L
BC120G	GENERAL PURPOSE SPILL KIT BIN COVER - GREY	120L
BC240W	OIL & FUEL ONLY SPILL KIT BIN COVER - WHITE	240L
BC120W	OIL & FUEL ONLY SPILL KIT BIN COVER - WHITE	120L
BC240Y	HAZCHEM SPILL KIT BIN COVER - YELLOW	240L
BC120Y	HAZCHEM SPILL KIT BIN COVER - YELLOW	120L



P/NO: BC(SIZE)(COLOUR)

COMPONENTS

P/N0	DESCRIPTION	SIZE
CWB	CONTAMINATED WASTE BAG	900X600MM
DPBS	DUST PAN AND BRUSH SET	-
STI12575	SAFETY TAG	125X75MM
CT10075	BARRICADE TAPE	100MX75MM
404	RESPONSE SHOVEL POLYETHYLENE	939MM LENGTH

PPE ACCESSORIES COVERALLS

P/NO	DESCRIPTION
DOWT(SIZE)	DISPOSABLE PROVEK TYPE 4/5/6 DISPOSABLE COVERALL LE COVERALLS
DOOSMS(SIZE)	SMS DISPOSABLE COVERALLS
DOWP(SIZE)	PROVEK™ DISPOSABLE COVERALLS

RESPIRATORY PROTECTION

P/NO	DESCRIPTION	SIZE
HMABEK1-HP	CHEMICAL RESPIRATOR KIT - BUCKET	OSFA
HMA1P2-HP	TRADIES RESPIRATOR KIT - BUCKET	OSFA
PC823	PROMESH [®] RESPIRATOR P2 (CARBON FILTER)	OSFA
PC321	RESPIRATOR P2 WITH VALVE	OSFA
PCFFP2V	RESPIRATOR P2 WITH VALVE (HORIZONTAL FLAT FOLD)	OSFA

HAND PROTECTION

P/NO	DESCRIPTION
RNF15(SIZE)	NITRILE CHEMICAL GLOVES
NPUPC (SIZE)	PROCHEM GLOVES
BK (SIZE)	BLACK KNIGHT® LATEX GLOVES
NEO (SIZE)	BLACK NEOPRENE GLOVES
PVC45DD	GREEN PVC GLOVES - LONG DOUBLE DIPPED
MDNPFHD (SIZE)	BLACK EXTRA HEAVY DUTY NITRILE

PROTECTIVE EYEWEAR

P/NO	DESCRIPTION	SIZE
1600	TSUNAMI – CLEAR	OSFA
3000	VISITORS SAFETY GLASSES CLEAR LENS	OSFA
3700	3700 SERIES - CLEAR GOGGLE	OSFA



P/NO: CWB





P/N0:PC321





P/NO: 1600

PRATT SAFETY Spill Spill

1

1

WHEREVER CHEMICALS OR HAZARDOUS SUBSTANCES ARE BEING STORED, HANDLED OR TRANSPORTED, IT IS ESSENTIAL THAT ALL APPROPRIATE MEASURES ARE IN PLACE FOR THE CONTAINMENT OF THESE CHEMICALS/ SUBSTANCES IN THE EVENT OF A SPILL OR LEAK.

Pratt's extensive product range and wealth of experience ensures that we are able to provide our customers with a range of containment solutions to meet any need.



SPILL PALLET

BUILT FOR HEAVY LOADS AND CONVENIENT HANDLING

- High load capacity
- 100% polyethylene construction
- Compatible with a broad range of chemicals including acids, corrosives, fuels and oils
- Nestable design allowing multiple pallets to be shipped or stored.
- Removable grate allows easy access to clean bund sump
- Forkliftable





1011

1235 **PRATT SPILL PALLET STANDARD 4 DRUM**

PRATT SPILL PALLET STANDARD 2 DRUM



P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)	SUMP(L)	UDL(KG)
1011	430	1320	660	21	260	1136
1235	300	1300	1300	36	250	3000

SPILL CONTAINMENT

SPILL PALLET PLUS AND OUTDOOR HARD TOP

COMPATIBLE AND WILL SUIT OUTDOOR HARD TOP COVER

- Lower profile than standard spill pallet
- Built for heavy loads and convenient handling
- High load capacity
- 100% polyethylene construction
- Compatible with a broad range of chemicals including

acids, corrosives, fuels and oils

- Removable grate allows easy access to clean bund sump
- Forkliftable
- Hard top cover to keep rain debris from entering the bund.





9611 PRATT SPILL PALLET PLUS 2 DRUM

9631 PRATT SPILL PALLET PLUS 4 DRUM



PRATT HARD TOP WITH 2 DRUM OUTDOOR SPILL PALLET



9637

PRATT HARD TOP WITH 4 DRUM OUTDOOR SPILL PALLET

P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)	SUMP(L)	UDL(KG)
9611	222	1664	1016	41	250	2041
9631	222	1575	1575	63.5	284	4082
9613	1880	1708	1047	118	250	2041
9637	2007	1638	1557	200	284	4082

TAAT

LOW PROFILE Spill Decks

COMPATIBLE WITH A BROAD RANGE OF CHEMICALS INCLUDING ACIDS, CORROSIVES, FUELS AND OILS

- 100% polyethylene construction
- Forkliftable
- Removable grate allows easy access to clean bund sump
- Nestable design allowing multiple pallets to be shipped or stored.





PRATT SPILL DECK 2 DRUM



1072	
PRATT SPILL DECK 4 DRUM	



P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)	SUMP(L)	UDL(KG)	
1321	150	680	680	5.5	42	700	
1086	150	1300	680	17	82	1500	
1072	150	1300	1300	32	165	3000	

ECONOMICAL AND PORTABLE CONTAINMENT FOR IBCS

- Suitable for intermediate bulk containers (IBCs), drums or other large vessels. All substances stored must be compatible.
- 100% polyethylene construction
- Forkliftable

- Removable grate allows easy access to clean bund sump
- Built for heavy loads and convenient handling
- High load capacity



1158 PRATT IBC SPILL PALLET 1 TANK

1144

PRATT IBC SPILL PALLET TWIN SIDE BY SIDE 2 TANK



IBCNOTINCLUDED

P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)	SUMP(L)	UDL(KG)
1158	660	1570	1570	115	1362	3864
1144	559	3162	1565	205	2025	3629\perside

OUTDOOR HARD TOP KIT WITH IBC PALLET

HARD TOP COVER TO KEEP RAIN AND DEBRIS ENTERING THE BUND.

- Hard top cover to keep rain debris from entering the bund.
- Economical and portable containment for IBCs
- Suitable for intermediate bulk containers (IBCs), drums or other large vessels. All substances stored must be compatible.
- 100% polyethylene construction
- Forkliftable
- Removable grate allows easy access to clean bund sump
- Built for heavy loads and convenient handling
- High load capacity



IBC NOT INCLUDED

1161 PRATT HARD TOP INC 1 IBC SPILL PALLET

1149

PRATT TWIN HARD TOP INC TWIN IBC SPILL PALLET



IBC NOT INCLUDED

P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)	SUMP(L)	UDL(KG)
1161	2439	1639	1575	239	1362	3864
1149	2439	3251	1702	484	2025	3629/perside

SPILL CONTAINMENT

MOBILE DISPENSING & COLLECTION Systems drum truck



1310

PRATT DRUM TRUCK

Convenient storage of drum in horizontal position for ease of decanting, whilst providing spillage or leakage containment

- Open spillage containment area, providing visual monitoring and ease of access for clean up purposes.
- Large wheels roll easily over shop or factory floors to enable relocation as required, without the need of a forklift.
- Large sump capacity 250 litre

SPILL COLLECTOR



1040

PRATT SPILL COLLECTOR FLAT BOTTOM MODEL

Mobile secondary container provides maximum protection for the inner drum.

Applications include satellite waste collections, general storage or chemical drums, and portable drum pumping stations.

P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)	SUMP(L)	UDL(KG)
1310	686	813	1835	54	250	273
1040	730	840	840	12	250	-

DRUM FUNNELS

BURP FREE FUNNELS FEATURES A BUILT IN VENT, NO MORE SPLASHING OR BURPING WHEN POURING LIQUIDS.. !!!

- Threaded brass insert screws into 50mm drum bung or tank cap.
- Hinged, lockable lid prevents unauthorised access.





656 PRATT BURP FREE FUNNEL WITH LARGE LOCKABLE LID

PRATT BURP FREE FUNNEL WITH WITH STANDARD LOCKABLE LID



499

651

PRATT GLOBAL FUNNEL WITH SPOUT AND HINGED COVER

- Securely fits nearly every 205L tight head steel or polyethylene drum manufactured throughout the world.
- Unique bottom design fits tightly on drums with varying diameters no more wobbles or drips.

TN RC

SMOKE STOP CIGARETTE BUTT CANS

SMOKE STOPS KEEP AREAS CLEAR OF CIGARETTE BUTTS

- Used in factory/office entrances, break areas
- Construction sites
- Poolsides
- Fishing Piers and boat ramps
- Golf Courses

- Sports Fields
- Polyethylene construction will not rust or corrode
- Design minimises smoke exit and water entry
- Large capacity up to 15 litres, steel pail holds over 3000 cigarette butts, easily removed, cleaned and replaced.





SMOKE STOP CLASSIC GREY

TINES

OVER-PACK Drums

SAVE VALUABLE FLOOR SPACE

- Polyethylene construction will not rust or corrode
- Convenient no tools required closure application is perfect for clean up and spill response activities.

580

OVER-PACK DRUM 360L



585

OVER-PACK DRUM 113L



587 OVER-PACK DRUM 76L



P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)	SUMP(L)
580	1050	830	830	21	360
585	765	581	581	7	114
587	483	552	552	5.5	76

SPILL Trays

VERSATILE SECONDARY CONTAINMENT FOR SMALL CONTAINERS AND PACKAGES

- Low profile and sump capacity options perfect for containment of 20L pails, batteries, safety cans, dry cleaning waste drums, and leaky machine parts
- Polyethylene construction will not rust or corrode





1031 UTILITY TRAY BLACK 45L

1034 UTILITY TRAY BLACK 68L



1032 UTILITY TRAY BLACK 91L



1035 UTILITY TRAY BLACK 102L



1033 UTILITY TRAY BLACK 113L



UTILITY TRAY BLACK 113L SLIMLINE

P/NO	HEIGHT(MM)	WIDTH(MM)	DEPTH(MM)	WEIGHT(KG)		
1031	121	1219	305	3.5		
1034	121	914	610	3.5		
1032	121	1219	610	5		
1035	121	914	914	5		
1033	121	1219	762	5.5		
1036	89	1219	1016	6.5		

1036

UNLIMITED SUPPORT VIA OUR PRATT HOTLINE

MANAGED BY OUR EXPERIENCED PRATT TEAM WHO DELIVER:



SERVICE EXCELLENCE

EMERGENCY SHOWER UNITS, EYEWASH UNITS, DANGEROUS GOODS CABINETS, SPILL KITS, GAS & AEROSOL CAGES, SPILL CONTAINMENT



EXPERTISE TO FIND SOLUTIONS FOR ANY OF OUR CUSTOMERS NEED





SALES REPRESENTATIVES UP-SKILLING YOUR TEAM AND CONNECTING END USERS WITH DISTRIBUTORS ACROSS AUSTRALIA & NEW ZEALAND



RESOURCE LIBRARY

BEST PRACTICE RECOMMENDATIONS

RISK ANALYSIS

PARAMOUNT SAFETY PRODUCTS

PARAMOUNT SAFETY PRODUCTS (PSP) IS THE POWERHOUSE BEHIND OCEANIA'S MOST TRIED AND TRUSTED INDUSTRIAL SAFETY BRANDS.










WOR (II

WE ARE...

Oceania's biggest WHOLESALE ONLY, One Stop Shop, Head to Toe designer and manufacturer of safety gear and equipment.

WITH...

- Three-decades of experience delivering a continuous flow of advanced, trade-specific safety solutions to some of Oceania's largest companies.
- The largest distributor network reaching every corner of Oceania.
- 7 Distribution hubs across Australia & New Zealand for floor to store fast delivery.
- Over 150 experienced and trained staff always ready to help you out.



- Honesty in business
- Value for money
- Trusted advice
- Product variety
- Stock availability
- Consistent Tried & Tested High Quality Products
- 3rd Party Certified Products (where applicable)



C an E

NZ: 0800 888 778

GET IN TOUCH WITH US

ALREADY A DISTRIBUTOR?

SHOP HERE AUSTRALIA

SHOP HERE NEW ZEALAND

amou

CALL US TO FIND OUT MORE!

AU: 1800 846 798

SYST

NZ: 0800 846 798





PRAT

PULL

F

