




spillstation station spillstationaustralia c a t a t o g u e














Spill Response Kits Dangerous Goods Cabinet Accredited Training Programs IBC Containment Drum Handling Sediment Control Bunded Spill Pallets Fast Acting Absorbents Stormwater Protection Biohazard Spill Kits Portable Bunding Signage and PPE

S' man and a later







Established in 1983, Spill Station Australia is an Australian owned company that is dedicated to the manufacture and supply of superior workplace safety and environment protection systems.

Our range of products and services has grown over these years to address the constantly evolving workplace safety and environment protection issues facing the Australian workplace.

Services such as obligation-free spill risk assessments, spill response training and Spill Kit maintenance agreements are also available to ensure rapid and effective spill response at al all time.

Spill Station Australia has been at the forefront of assisting Government and Industry in solving environmental compliance issues for over 25 years and we are proud of the contributions we have made towards keeping Australia Beautiful.

We believe that this dedication to the highest quality workplace safety and environment protection products and services will ensure your best environmental outcomes.





It is now even easier to find the Spill Kit that is right for your site

Step 1. Find the types of liquids you have in the left hand column

container or potential spill along the top row

Step 2. Find the size of your Step 3. Find where the type of liquid and size of potential spill intersect.

Step 4. Match the colour code to the contents page and match the code to your kit

5	0-20L	20-30L	30-50L	50-100L	100-190L	190-270L	270-400L	400-770L	770+
oil / fuel on land	TSS20GP	TSS32GP	TSS50W	TSS120GP	TSSWKS	TSS240GP	TSS240W	TSS660W	Custom
oil / fuel on water	TSS20W	TSS50W	TSS50W	TSS120W	TSSMK1	T55240W	TSS240W	TSS660W	Custom
oil / fuel / coolant / herbicide / pesticide	TSS20GP	TSS32GP	TSS50EA	TSS120GP	TSSWKS	TSS240GP	TSS300EA	TSS660EA	Custom
acids / caustics	TSS20EA	TSS50EA	TSS50EA	TSS120EA	TSSDGK	TSS300EA	TSS300EA	TSS660EA	Custom
acid / caustic / oil / fuel / coolant / herbicide / pesticide	TSS20EA	TSS50EA	TSS50EA	TSS120EA	TSSDGK	TSS300EA	TSS300EA	TSS660EA	Custom

WAIVER/DISCLAIMER

Used absorbent materials are only to be disposed of in accordance with local, State and Commonwealth laws or regulations. Liquids absorbed by Spill Station® Absorbents maintain the same properties and handling requirements as prior to the spill. Spill Station® products are sold or supplied in absence of any warranties implied on the appropriateness of the product for any particular purpose except as required by relevant government authorities. Information contained herein does not constitute a warranty on Spill Station® products in any form. Information contained herein are only an approximation and to be used only as a guide and are subject to change. Spill Station® and the Spill Station® logo are registered trademarks and cannot be used without express written permission. All other trademarks are the property of their respective owners. Spill Station® Australia Pty Ltd will not be liable for damages of any type either incidental or consequential that may arise out of the purchase, use, disposal or inability to use Spill Station® products.







Contents

General Purpose Spill Kits and Absorbents	1-3
Spill Kit Options and Accessories	4
Hazchem Spill Kits and Absorbents	5-8
Oil and Fuel Spill Kits & Absorbents	9-12
Laboratory & Medical Spill Control Equipment	13
Spill Response Trailers & Custom Spill Kits	14
Quickbund Portable Bunding System	15
Drum and IBC Spill Containment Systems	16-20
Low-Profile Spill Containment Decks	21-22
Dangerous Goods Storage Cabinets	23-24
Emergency Eye/Facewash Equipment	25-26
Emergency Showers and Eyewash Equipment	27-30
Self Contained Tank Shower and Eyewash	31-32
Drum Handling & Decanting Equipment	33-34
Drive-Over Bunding and Car Washpads	35
Stormwater Protection Equipment	36
Drip/Catchment Trays and Drum Overpacks	37-38
Bins, Storage Containers, Trolleys and Carts	39
Spill Response Companion Equipment	40
Signage	41
Water Treatment & Filtration Equipment	42
PPE and Spill Clean Up Equipment	43

Sukerup General Purpose Absorbents

Because spills can happen anywhere, Spill Station Australia offer two types of General Purpose Absorbent so the absorbent you get is right for the job. Both are 100% natural, highly absorbent and free of harmful chemical residues.







Sukerup Organic General Purpose Absorbent

- Contains no harmful dust to ensure a safe spill cleanup.
- Reduce clean up time and disposal costs by more than half.
- One 50L bag absorbs as much as 4 x 20kg bags of "kitty litter".
- A 50 litre bag will absorb up to 60 litres of spill.
- Made from an annually renewable resource.
- No chemical residues.
- EPA approved.
- Fast acting.
- **OA50L** 50L Bag Sukerup Organic Absorbent
- **OA15L** 15L Bag Sukerup Organic Absorbent





General Purpose Spill Containment Booms		
SAU105	1.5m x 100mm GP Containment Boom	
MLB103	3.0m x 100mm GP Containment Boom	



General Purpose Spill Response Kits

SPILL KIT	COOLANT /	HERBICIDE /	OIL / FUEL /	ACIDS /
Colour code	General liquids	Pesticide	Solvent	Caustics
GENERAL PURPOSE	\checkmark	\checkmark	\checkmark	X

A free of charge Spill Kit training pack including demonstration DVD and Powerpoint presentation is available upon request with Spill Kit purchase.



	Qty	TSS240GP 270L GP Spill Kit
S	50	480x430mm Hazchem Absorbent Pads
ABSORBS UP TO 270 LITRES	3	50 Litre Bag Sukerup GP Absorbent
20 L	4	1.5m x 75mm General Purpose Boom
0 2	2	3.0m x 75mm General Purpose Boom
UPT	10	Contaminated Waste Bags
SBS	2	Pair Oil Resistant Gloves
3S0F	1	Weather Resistant Kit Cap
A	1	Adhesive Wall Locator
	1	240 Litre Labelled Mobile Bin



	Qty	TSS240LR Ergonomic GP Spill Kit	
S	50	480x430mm Hazchem Absorbent Pads	
ITR	3	50 Litre Bag Sukerup GP Absorbent	
70 [4	1.5m x 75mm General Purpose Boom	
ABSORBS UP TO 270 LITRES	2	3.0m x 75mm General Purpose Boom	
UP T	10	Contaminated Waste Bags	
RBS	2	Pair Oil Resistant Gloves	
3S0F	1	Weather Resistant Kit Cap	
A	1	Adhesive Wall Locator	
	1	220 Litre Labelled Lo-Rise Bin	



	Qty	TSS/WKS Workshop Spill Kit		
S	40	480x430mm Hazchem Absorbent Pads		
ITR	3	50 Litre Bag Sukerup GP Absorbent		
8	2	1.5m x 75mm General Purpose Boom		
ABSORBS UP TO 200 LITRES	2	3.0m x 75mm General Purpose Boom		
UP T	10	Contaminated Waste Bags		
SBS	2	Pair Oil Resistant Gloves		
3S0F	1	Weather Resistant Kit Cap		
A	3	Tamper Evident Seals		
	1	240 Litre Mobile Bin		

General Purpose Spill Response Kits



	Qty	TSS180GP All-In-One GP Spill Kit
	50	480x430mm Hazchem Absorbent Pads
S	6	15 Litre Bag Sukerup GP Absorbent
ITR	2	1.5m x 75mm General Purpose Boom
80 L	2	3.0m x 75mm General Purpose Boom
0	5	XL Waste Bags
ABSORBS UP TO 180 LITRES	2	Pair Oil Resistant Gloves
SBS	1	PPE Kit / MSDS Sleeve
SOF	1	Sparkproof Shovel
A	1	Yard Broom
	1	Adhesive Wall Locator
	1	Labelled Poly Cart







	Qty	TSS32GP Vehicle GP Spill Kit
RES	10	480x430mm Hazchem Absorbent Pads
32 LITRES	1	15 Litre Bag Sukerup GP Absorbent
	1	1.5m x 75mm General Purpose Boom
ABSORBS UP TO	2	Contaminated Waste Bags
3S U	1	Pair Oil Resistant Gloves
SOR	1	Dustpan and Brush
AB	1	Adhesive Wall Locator
	1	Weather Resistant Zip-Top Bag

Spill Response Kit Options



Hazchem Absorbents

Spill Station Hazchem Absorbents are made from polypropylene microfibres and have excellent chemical resistance and outstanding absorbent cababilities. This absorbent is suitable to use with most liquids including acids and caustics.





DOUBLE WEIGHT HAZCHEM ABSORBENT PADS

Turn liquids hazards into easily managed solids. Each pads can absorb up to 1.8 litres.


ITEM CODE	DESCRIPTION	SIZE	QTY
PAD305/10	Hazchem Absorbent Pads	480x430mm	10
PAD305/50	Hazchem Absorbent Pads	480x430mm	50
PAD305/100	Hazchem Absorbent Pads	480x430mm	100
PAD304/25	Hazchem Absorbent Pads	240x430mm	25



REGULAR WEIGHT HAZCHEM ABSORBENT PADS

When dealing with small spills of under 1 litre, the Regular Weight Pads can be a more cost effective option.

ITEM CODE	DESCRIPTION	SIZE	QTY
PAD306/50	Hazchem Absorbent Pads	480x430mm	50
PAD306/100	Hazchem Absorbent Pads	480x430mm	100
PAD306/200	Hazchem Absorbent Pads	480x430mm	200
PAD301/25	Hazchem Absorbent Pads	240x430mm	25



HAZCHEM ABSORBENT PAD DISPENSER BOX

This handy absorbent pad dispenser box can be placed on a workbench or mounted on the wall.

ITEM CODE	DESCRIPTION	SIZE
PAD30640	Single Weight Pad Dispenser Box Containing 40 x Hazchem Pads	500x500x140mm
PAD30520	Double Weight Pad Dispenser Box Containing 20 x Hazchem Pads	500x500x140mm









REGULAR WEIGHT AND DOUBLE WEIGHT HAZCHEM ABSORBENT BLANKET ROLLS

Tear absorbent material to size required or roll out for fast coverage over large areas. See page 34 for EBR309 roll dispenser.

ITEM CODE	DESCRIPTION	SIZE
EBR307	Hazchem Double Weight Roll	46x960mm
EBR308	Hazchem Double Weight Roll	46x480mm
EBR309	Hazchem Regular Weight Roll	50x500mm

HAZCHEM ABSORBENT BOOMS

Absorbent Booms are an effective way to contain and divert spills on all hard surfaces.

ITEM CODE	DESCRIPTION	SIZE	QTY
EMB12100	Hazchem Absorbent Booms	1.2mx75mm	1
EMB12100/10	Hazchem Absorbent Booms	1.2mx75mm	10
EMB30100	Hazchem Absorbent Booms	3.0mx75mm	1
EMB30100/10	Hazchem Absorbent Booms	3.0mx75mm	10

HAZCHEM ABSORBENT PILLOWS

Place under leaking drums and equipment to turn your liquid hazard into an easily managed solid.

ITEM CODE	DESCRIPTION	SIZE	QTY
EAP305/10	Hazchem Absorbent Pillows	250mx450mm	10
EAP306/10	Hazchem Absorbent Pillows	450mx450mm	10
EAP307/10	Hazchem Absorbent Pillows	350mx450mm	10

HAZCHEM ABSORBENT DRIP TRAYS

Contain and absorb drips from taps when decanting from drums in a horizontal position.

ITEM CODE	DESCRIPTION	SIZE	QTY
CDT301	Hazchem Absorbent Drip Tray	275x275mm	10
EAP302/10	Replacement Drip Tray Pillows	250x250mm	10

Hazchem Spill Response Kits

Spill Station Hazchem Spill Kits are suitable for a wide range of acids, caustics, hydrocarbons and general liquids. See page 41 for signage options.



	Qty	TSS660EA 800L Hazchem Spill Kit
	150	480x430mm Hazchem Absorbent Pads
RES	1	46mx480mm Hazchem Absorbent Roll
E	10	3mx75mm Hazchem Absorbent Booms
ABSORBS UP TO 870 LITRES	10	1.2mx75mm Hazchem Absorbent Booms
2	20	Contaminated Wasted Bags and Ties
S UP	2	800g Plugitup Repair Putty
ORB	4	Pair Neoprene Gloves
ABS	4	Disposable Overalls
	4	Splash Goggles
	1	Labelled 660L Bin w/ Lockable Wheels

OIL / FUEL

SOLVEN

HERBICIDE

PESTICIDE

ACIDS

CAUS

SPILL KIT

HAZCHEM



	Qty	TSS300EA 400L Hazchem Spill Kit
ទ	150	480x430mm Hazchem Absorbent Pads
E	3	3mx75mm Hazchem Absorbent Booms
UP TO 400 LITRES	4	1.2mx75mm Hazchem Absorbent Booms
0 4	10	Contaminated Wasted Bags and Ties
E E	2	Pair Neoprene Gloves
SBS	1	Adhesive Wall Locator
ABSORBS	1	Laminated Instruction Sheet
A	4	Weather Resistant Kit Cap
	1	Labelled Blue 240L Mobile Bin



	Qty	TSSDGK Dangerous Good Spill Kit
	100	480x430mm Hazchem Absorbent Pads
LITRES	1	3mx75mm Hazchem Absorbent Booms
	2	1.2mx75mm Hazchem Absorbent Booms
205	10	Contaminated Wasted Bags and Ties
10	1	Pair Neoprene Gloves
S UP	1	Disposable Overalls
ABSORBS UP TO	1	Splash Goggles
ABS	1	800g Pluitup Repair Putty
	3	Tamper Evident Seals
	1	Labelled Blue 240L Mobile Bin

Hazchem Spill Response Kits

	Qty	TSS120EA 120L Hazchem Spill Kit
S	100	240x430mm Hazchem Absorbent Pads
ITRE	1	3mx75mm Hazchem Absorbent Booms
20 L	2	1.2mx75mm Hazchem Absorbent Booms
0 12	5	Contaminated Wasted Bags and Ties
T d(1	Pair Neoprene Gloves
ABSORBS UP TO 120 LITRES	1	Adhesive Wall Locator
SOR	1	Laminated Instruction Sheet
AB	1	Weather Resistant Kit Cap
	1	Labelled Blue 140L Mobile Bin

S	Qty	TSS50EA 50L Hazchem Spill Kit
TRE	50	240x430mm Hazchem Absorbent Pads
50 LITRES	3	1.2mx75mm Hazchem Absorbent Booms
		Contaminated Wasted Bags and Ties
UP	1	Pair Neoprene Gloves
ABSORBS UP TO	1	Adhesive Wall Locator
BS0	1	Laminated Instruction Sheet
A	1	Weather Resistant Zip-Top Bag

S	Qty	TSS20EA 20L Hazchem Spill Kit
ABSORBS UP TO 20 LITRES	10	480x430mm Hazchem Absorbent Pads
	1	1.2mx75mm Hazchem Absorbent Booms
T0 2	2	Contaminated Wasted Bags and Ties
B	1	Pair Neoprene Gloves
RBS	1	Adhesive Wall Locator
BSO	1	Laminated Instruction Sheet
A	1	Weather Resistant Zip-Top Bag

	Qty	TSSBSK Battery Acid Spill Kit
ES	2	480x430mm Hazchem Absorbent Pads
LITRES	1	1.2mx75mm Hazchem Absorbent Booms
9	1	7L Acid Neutralising Absorbent
010	1	Contaminated Wasted Bags and Ties
SUP	1	Pair Neoprene Gloves
ABSORBS UP TO	1	Adhesive Wall Locator
ABS	1	Laminated Instruction Sheet
	1	Weather Resistant Zip-Top Bag









Oil/Fuel Absorbents

Spill Station Oil/Fuel Absorbents are made of melt-blown polyproplene micro-fibres. This super-absorbent material repels water and will absorb hydrocarbons off both land and water surfaces.



SPILL KIT	WATER BASED	OIL / FUEL /	HERBICIDE /	ACIDS /
Colour Code	Liquids	Solvent	Pesticide	Caustics
HAZCHEM	X	\checkmark	X	X

DOUBLE WE	DOUBLE WEIGHT OIL/FUEL ABSORBENT PADS				
ITEM CODE	DESCRIPTION	SIZE	QTY		
PAD203/10	Oil/Fuel Absorbent Pads	480x430mm	10		
PAD203/50	Oil/Fuel Absorbent Pads	480x430mm	50		
PAD203/100	Oil/Fuel Absorbent Pads	480x430mm	100		
PAD202/25	Oil/Fuel Absorbent Pads	240x430mm	25		



REGULAR WEIGHT UIL/FUEL ABSURBENT PADS				
ITEM CODE	DESCRIPTION	SIZE	QTY	
PAD210/50	Oil/Fuel Absorbent Pads	480x430mm	50	
PAD210/100	Oil/Fuel Absorbent Pads	480x430mm	100	
PAD210/200	Oil/Fuel Absorbent Pads	480x430mm	200	
PAD209/25	Oil/Fuel Absorbent Pads	240x430mm	25	





OIL/FUEL ABSORBENT PAD DISPENSER BOX			
ITEM CODE	DESCRIPTION	SIZE	
PAD21040	Regular Weight Pad Dispenser Box Containing 40 x Oil/Fuel Pads	500x500x140mm	
PAD20320	Double Weight Pad Dispenser Box Containing 20 x Oil/Fuel Pads	500x500x140mm	

OIL/FUEL ABSORBENT BLANKET ROLLS				
ITEM CODE	DESCRIPTION	SIZE		
BR202	Double Weight Oil/Fuel Absorbent Roll	46mx960mm		
BR215	Regular Weight Oil/Fuel Absorbent Roll	50mx1m		
BR211	Regular Weight Oil/Fuel Absorbent Roll	50mx500mm		



OIL/FUEL ABSORBENT LAND BOOMS Suitable for containing spills of oils, fuels and other hydrocarbons on land.				
ITEM CODE	DESCRIPTION	SIZE	QTY	
WMB12100	Oil/Fuel Absorbent Booms	1.2mx75mm	1	
WMB12100/10	Oil/Fuel Absorbent Booms	1.2mx75mm	10	
WMB30100	Oil/Fuel Absorbent Booms	3.0mx75mm	1	
WMB30100/10	Oil/Fuel Absorbent Booms	3.0mx75mm	10	







F	10	ATI	ING (DIL/I	FU	EL	ABS	50	RB	EN	TE	800M	S	

Suitable for containing spill of oils, fuels and other hydrocarbons on water surfaces.

ITEM CODE	DESCRIPTION	SIZE	QTY
FB222/4	Floating Oil/Fuel Booms	3.0mx125mm	4
FB201/4	Floating Oil/Fuel Booms	3.0mx200mm	4
FB214/2	Floating Oil/Fuel Booms	6.0mx200mm	2

OIL/FUEL ABSORBENT DRIP TRAY

Collect incidental drip from under oil and fuel dispensing taps and turn them into an easily managed solid instantly. Perfect for use with the Mobile Despensing Unit (page 26)

ITEM CODE	DESCRIPTION	SIZE	QTY
HDT201	Oil/Fuel Absorbent Drip Tray	275mx275mm	1
DB202/10	Drip Tray Replacement Pillows	250mx250mm	10

OIL/FUEL ABSORBENT PILLOWS

Suitable for placing under machinery and drums leaking oils and fuels. The DB207 pillow repels water and has a tether-ring to secure in drain pits and boat bilges.

ITEM CODE	DESCRIPTION	SIZE	QTY
DB205/10	Oil/Fuel Absorbent Pillow	250x450mm	10
DB206/10	Oil/Fuel Absorbent Pillow	450x450mm	10
DB207/10	Oil/Fuel Absorbent Pillow	350x450mm	10

Oil/Fuel Spill Control Kits

The absorbents in Spill Station Oil/Fuel Spill Control Kits repel water and waterbased liquids and absorb oil, fuels and other hydrocarbons. These spill kits contain no loose absorbent so brooms and shovels are not needed for spill cleanup.



SPILL KIT	WATER BASED	OIL / FUEL /	HERBICIDE /	ACIDS /
Colour code	Liquids	Solvent	Pesticide	Caustics
OILS/FUEL	X	\checkmark	X	X

	Qty	TSS660W 770L Oil/Fuel Spill Kit
	150	480x430mm Oil/Fuel Absorbent Pads
KEV	1	46m x 480mm Oil/Fuel Absorbent Roll
3	10	3m x 75mm Oil/Fuel Absorbent Boom
///	10	1.2m x 75mm Oil/Fuel Absorbent Boom
ABSURBS UP 10 //U LIIKES	20	Contaminated Waste Bags and Ties
ער רך	2	800g Plugitup Repair Putty
UKB	4	Pair Oil Resistant Gloves
ABS	4	Disposable Overalls
	4	Splash Goggles
	1	Labelled 660L Bin w/ Lockable Wheels



	Qty	TSS240W 400L Oil/Fuel Spill Kit
S	150	480x430mm Oil/Fuel Absorbent Pads
ITRE	3	3m x 75mm Oil/Fuel Absorbent Boom
ABSORBS UP TO 400 LITRES	4	1.2m x 75mm Oil/Fuel Absorbent Boom
0 4(10	Contaminated Waste Bags and Ties
UP T	2	Pair Oil Resistant Gloves
RBS	4	Adhesive Wall Locator
SOF	1	Laminated Instruction Sheet
AE	1	Weather Resistant Kit Cap
	1	Labelled Red 240L Mobile Bin



Oil/Fuel Spill Control Kits

Flammable goods storage on page 23. See page 41 for spill kit and signage options. Fire extinguisher details on page 40.



	Qty	TSS120W 120L Oil/Fuel Spill Kit					
S	100	240x430mm Oil/Fuel Absorbent Pads					
TRE	1	3m x 75mm Oil/Fuel Absorbent Booms					
	2	1.2m x 75mm Oil/Fuel Absorbent Boom					
12	5	Contaminated Waste Bags and Ties					
P T(1	Pair Oil Resistant Gloves					
ABSORBS UP TO 120 LITRES	1	Adhesive Wall Locator					
SOR	4	Laminated Instruction Sheet					
AB	4	Weather Resistant Kit Cap					
	4	Labelled Red 240L Mobile Bin					



S	Qty	TSS50W 50L Oil/Fuel Spill Kit						
50 LITRES	50	240x430mm Oil/Fuel Absorbent Pads						
	3	1.2m x 75mm Oil/Fuel Absorbent Boom						
05	3 Contaminated Waste Bags and Ties							
L L L	1	Pair Oil Resistant Gloves						
SBS	1	Adhesive Wall Locator						
ABSORBS UP TO	1	Laminated Instruction Sheet						
A	1	Weather Resistant Zip-Top Bag						



2	Qty	TSS20W 20L Oil/Fuel Spill Kit
Ϋ́	10	480x430mm Oil/Fuel Absorbent Pads
ZU LIIKES	1	1.2m x 75mm Oil/Fuel Absorbent Boom
	2	Contaminated Waste Bags and Ties
ЧЧ П	1	Pair Oil Resistant Gloves
ABSUKBS UP 10	1	Adhesive Wall Locator
B S U	1	Laminated Instruction Sheet
Ā	1	Weather Resistant Zip-Top Bag

Laboratory & Medical Equipment









Qty	ZTSSBHS Bio-Hazard Spill Kit
1	500ml Bio Hazard Absorbent Powder
1	100ml Bottle Clinical Detergent
1	Face Mask & Eye Shield
1	Scoop and Scraper
1	Disposable Gloves
1	LDPE Disposable Apron
2	Clinical Waste Bags & Ties
1	Hygenic Skin Wipes

Qty	ZTSSCBF Cytotoxic Body Fluid Spill Kit
1	2.5L Bio Hazard Absorbent Powder
1	100ml Bottle Clinical Detergent
1	Face Mask & Eye Shield
1	Scoop and Scraper
1	Disposable Gloves
1	Protective Gown
2	Cytotoxic Waste Bags
1	Overshoes and Haircap
1	Labelled 10L Pail with Instructions

Qty	ZTSSLAB Laboratory Spill Kit					
1	2.5L Multi Purpose Absorbent Powder					
4	Disposal Bags					
4	Cleaning Cloths					
4	Pair Disposable Gloves					
2	Face Mask & Eye Shield					
2	Disposable Apron					
2	Scoop and Scraper					
1	Labelled 10L Pail					

Qty	ZTSSSDK Sharps Collection Kit					
1	Medical Sharps Waste Container					
1	Disposable Forceps					
1	Clinical Waste Bag					
1	Scoop and Scraper					
1	Disposable Gloves					
1	Hygenic Skin Wipes					
1	Step-by-step Instructions					

Compact Spill Kits



Mid-Size Spill Kits



Over 20 years ago, the Australian Defence Forces approached Spill Station to design Spill Kits to meet the challenging enviroments in which they operate.

If your needs are not met by our standard range, we can customise our Spill Kits to address your requirements.

Variations include:

- Size or type of Spill Kit container
- House branding
- Specific spill response capacity
- Spill Kit components to your specifications
- Spill Kits to suit your workplace environment

Spill Response Trailers

Because the needs of our spill trailer customers and the environments they operate in are so diverse, each spill trailer is customised to provide the best outcome.

Our customers include:

- Mine sites
- Power generators
- Transport companies
- Local Government





Quickbund Portable Bunding





The Australian made Quickbund Portable Bunding System provides a safe and secure area for dealing with a wide range of liquids including acids, caustics, oils & fuels.

Manufactured from heavy duty XR-5, the highfrequency welded seams ensure no leaking and provide maximum strength.



The fold down walls allow for vehicle and forklift access.

The Quickbund can be erected in seconds without the need for tools. Simply position and unfold.

The Quickbund can be built to your meet your specific requirements.

Because it is so lightweight and portable, the Quickbund is ideal for all field applications including drill rigs, generators, refuelling & transformers.



The Quickbund can be fitted with a portable oil/water filter for outdoor use.

Quickbund Portable Bunding						
Item Code	Dimensions	Capacity	Pack Size	Weight		
TSSQB1	1.9x1.9x0.3m	1,000L	600x700x100mm	10kg		
TSSQB2	2.5x2.5x0.3m	2,000L	700x700x100mm	20kg		
TSSQB3	4.1x2.5x0.3m	3,000L	700x700x150mm	26kg		
TSSQB4	3.2x1.9x0.3m	1,800L	700x700x100mm	19kg		
TSSQB5	3.2x3.2x0.3m	3,000L	700x700x150mm	26kg		
TSSQB6	8.5x4.5x0.3m	11,400L	800x900x300mm	67kg		
TSSQB7	10x5x0.3m	15,000L	800x900x350mm	75kg		
TSSQB8	15x5.5x0.3m	24,700L	800x900x400mm	86kg		
TSSQB9	5x5x0.3m	7,500L	700x800x200mm	45kg		
TSSQB10	4.1x4.1x0.3m	5,000L	700x700x150mm	32kg		









TSSPB4L	4-Drum	Spill	Pallet
---------	--------	-------	--------

- Designed for safe and compliant storage of 4x205L drums.
- Made from 100% corrosion free polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

Length	Width	Height	Weight	Sump	Max Load
1280mm	1280mm	275mm	35kg	230 Litre	1250kg

TSSBP4 4-Drum XL Spill Pallet

- Huge 410 litre sump for storage of containers up to 372L.
- Solid polyethylene construction for heavy loads.
- Suitable for up to 4 x 205L drums.
- Drain plugs come standard with all spill pallets
- Forkliftable when fully loaded

Length	Width	Height	Weight	Sump	Max Load
1310mm	1310mm	370mm	44kg	410 Litre	1250kg

TSSBP3 3-Drum Spill Pallet

- Designed for safe and compliant storage of 3x205L drums.
- Seamless construction eliminates leaks.
- Meets EPA sump requirements.
- Broadband chemical resistance including acids & caustics.

Length	Width	Height	Weight	Sump	Max Load
1785mm	780mm	240mm	35kg	228 Litre	900kg

TSSPB2 2-Drum Spill Pallet

- Designed for safe and compliant storage of 2x205L drums.
- Made from 100% corrosion free seamless polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

Lei	ngth	Width	Height	Weight	Sump	Max Load
122	20mm	820mm	330mm	26kg	240 Litre	650kg

Spill Containment Pallets

F	

TSSBP1 1-Drum Spill Pallet

- Designed for storage of 1 x 205L drum.
- Small footprint for compliant storage in small areas.
- Removable grate makes decontamination easy
- Drainplugs are a standard feature.
- Polyethylene construction for extra durability.

Length	Width	Height	Weight	Sump	Max Load
900mm	700mm	525mm	22kg	225 Litre	300kg

TSSBP4RT 4-Drum Roll-Top Spill Pallet

- Protect you load from weather and theft.
- Key lockable ezy-lift Roll Top Cover large 410 litre sump
- suitable for holding 4 x 205L (44gal) drums
- Can be moved with a forklift when loaded
- removable non-slip grates
- raised lip helps to keep your load secure fitted with threaded drain plug

Length	Width	Height	Weight	Sump	Max Load
1470mm	1420mm	2070mm	115kg	410 Litre	1450kg







Hardcover 2-Drum Spill Pallet TSSCP2

- Lockable handle and side latches for secure storage.
- Gas struts for easy lowering and opening of the lid.
- Move with pallet jack or forklift when fully loaded.
- EPA compliant sumps in all Spill Pallets.
- Seamless polyethylene construction for extra strength.
- Excellent broadband chemical resistance.


Length	Width	Height	Weight	Sump	Max Load
1630mm	940mm	1420mm	95kg	260 Litre	600kg



Easy forklift access to stored pallets







TSSRB1 Pallet Racking Bund

- Turn standard pallet racking into bunded racking.
- Prevent contamination of goods stored below.
- Drain plug fitted for easy removal of spilled liquids.
- Utilises the "dead space" between the beams.
- Designed to provide easy access to pallets.
- 100% polyethylene for broadband chemical resistance.
 Racking not included

Ī	Length	Width	Height	Weight	Sump	Max Load
	1280mm	1280mm	245mm	25kg	410 Litre	1450kg

Spill Pallet Covers

- Protect the sump and the load from rainwater.
- Available for all sizes of Spill Pallets
- Welded seams and heavy-duty PVC prevents leakage.
- Shockcord elastic keeps the cover in place
- Fast and easy to remove and replace the cover.

Item Code	Used With Item
TSSBP4LC	TSSBP4L - 4-Drum Spill Pallet
TSSBP4SC	TSSBF4S - 4-Drum Inline Spill Deck
TSSBP3C	TSSBP3 - 3-Drum Spill Pallet
TSSBP2C	TSSBP3 - 3-Drum Spill Pallet
TSSBP1C	TSSBP1 - 1-Drum Spill Pallet

Spill Pallet Ramps

These spill pallet ramps are made from tough polyethylene and are suitable to use with 2-Drum, 4-Drum and Roll Top Spill Pallets.

Item Code	Length	Width	Height	Weight	Max Load
TSSBP2R	1740mm	1000mm	330mm	36kg	400kg
TSSBP4R	1740mm	1000mm	240mm	33kg	400kg
TSSBPRTR	1740mm	1000mm	370mm	38kg	400kg



TSSBB1 Single IBC Spill Containment Unit With Grate

- Designed to hold 1 x IBC (1000L) tank.
- Huge 1100L sump complies with EPA requirements.
- Drain plugs fitted for easy removal of spilled liquids.
- Seamless design for maximum sump security.
- Tough polyethylene construction for maximum durability.
- Dispensing wells, IBC funnels and covers also available.

Grate on	top allowes	for smaller	drum & can	be stored

Length	Width	Height	Weight	Sump	Max Load
1760mm	1350mm	710mm	107kg	1100 Litre	1500kg

TSSBB2 Dual IBC Spill Containment Unit With Grate

- Designed for 2 x IBC (1000L) tank or 8 x 250L drums.
- Huge 1140L sump exceeds EPA requirements.
- Drain plugs and removable grates for easy clean up.
- Robust & chemically resistant polyethylene construction.
- Dispensing wells, IBC funnels and covers also available.

Length	Width	Height	Weight	Sump	Max Load
2560mm	1350mm	510mm	136kg	1140 Litre	2500kg

Dispensing Wells For IBC Storage Units

- Attaches securely to any position around the bund.
- Catches drips & directs any overflow back into the sump.
- Big enough to hold 25 litre drums for safe decanting.

• Ideally suited for storing connected hoses when not in use.

Item Code	Length	Width	Height	Sump	Use With
TSSBB1T	550mm	545mm	855mm	86 Litre	TSSBB1
TSSBB2T	530mm	510mm	560mm	86 Litre	TSSBB2
TSSBB4T	530mm	520mm	540mm	86 Litre	TSSBB4

IBC Funnel

- Large diameter for easy decanting into IBCs.
- Avoid spills and keep the area free of slip hazards.
- Available with or without hinged lid.
- Tough polyethylene construction for maximum durability.

Item Code	Description	Diameter	Weight
TSSDF200	IBC Funnel With Lid	640mm	5kg
TSSDF200-Z	IBC Funnel Without Lid	640mm	4kg









5 1	Single IBC Spill Containment Unit - No Grate
-----	--

- Cost effective storage for single IBC (1000L tank).
- Over 110% of tank capacity available in the sump.
- Fitted with drain plugs or easy decontamination..
- Made from 100% virgin polyethylene resin.
- Can also be loaded with standard wooden pallets.

Item Code	Length	Width	Height	Weight	Sump	Max Load
TSSBB3	1590mm	1455mm	715mm	80kg	1125 Lt	1500kg

Dual IBC Spill Containment Unit - No Grate

- Relocatable storage solution for 2 x IBC or 8 x 205L drums.
- Mould design provides high strength to weight ratio.
- Virgin polyethylene for maximum chemical resistance.
- Fitted with drain plug for easy recovery of spilled liquids.
- Weather-proof covers & overflow trays also available.
- Huge 1150L sump meets storage requirements.

Item Code	Length	Width	Height	Weight	Sump	Max Load
TSSBB4	2340mm	1360mm	510mm	85kg	1150 Lt	2800kg

IBC Spill Containment Unit Cover

- Designed for use with TSSBB1 & TSSBB2 Spill Pallets.
- Protect the load and sump from rainwater.
- Safely store IBCs in outdoor locations.
- Elastic shock cord keeps the cover in place.
- Made from heavy-duty coated PVC.

ltem Code	Description
TSSBB1C	Single IBC Spill Containment Unit Cover
TSSBB2C	Dual IBC Spill Containment Unit Cover

IBC Splatter Guard

- Designed to cover a standard IBC (1000L) tank.
- Directs splatter and trajectory spill back to the sump.
- Clear front in order to easily identify the IBC contents.
- Welded seams to prevent leakage.
- Rope ties keep the cover in place in all conditions.

ltem Code	Description
TSSIBCPCCF	Clear Front IBC Tank Splatter Guard



The Spill Deck is built tough and comes in three sizes. These Spill Decks can be configured to create non-slip bunded liquid handling workstations and storage areas to fit your working environment.

Two sizes of ramps are available to make loading the Spill Deck with pallet jacks and hand trolleys easy.





TSSBF2 2-Drum Spill Deck

- Ideal for small decanting or waste oil collection point.
- Low profile for ease of loading.
- Can be fitted with drain plugs if required.
- Seamless design for maximum sump security.
- Tough polyethylene construction for maximum durability.
- Removable non-slip grates makes cleaning easy.

Length	Width	Height	Weight	Sump	Max Load
1260mm	860mm	150mm	20kg	150 Litre	1000kg

TSSBF4 4-Drum Square Spill Deck

- Designed to hold 4 x 205 litre drums.
- Huge 300L sump complies with EPA requirements.
- Drain plugs available for easy removal of spilled liquids.
- Seamless design for maximum sump security.

Length	Width	Height	Weight	Sump	Max Load
1660mm	1260mm	150mm	40kg	300 Litre	2000kg









TSSBF4S 4-Drum In-line Spill Deck	
 Designed to hold 4 x 205 litre drums. Low profile for ease of loading. Can be fitted with drain plugs if required. Seamless design for maximum sump security. 	
• Seamless design for maximum sumo security.	

• Corrosion-free polyethylene construction.

Length	Width	Height	Weight	Sump	Max Load
2610mm	860mm	150mm	48kg	300 Litre	2000kg

TSSBF1 1-Drum Floorbund

- Ideal for small decanting or liquid collection area.
- Low profile for ease of loading.
- Can hold up to 10 x 25 litre containers.
- Seamless design for maximum sump security.
- Polyethylene construction for maximum durability.

Length	Width	Height	Weight	Sump	Max Load
920mm	720mm	175mm	15kg	100 Litre	300kg

TSSBFR Compact Spill Deck Ramp

- Ideal for confined areas requiring ramp access.
- Ramp attaches to spill deck for extra stability.
- Moulded grips reduce slippage.
- Tough single piece moulded polyethylene.
- Not suitable for 1-Drum Floorbund.

Length	Width	Height	Weight	Max Load
650mm	800mm	165mm	9kg	300kg

TSSBFR2 Large Spill Deck Ramp

- Gentle incline for heavier loads.
- Suitable for hand trolley and pallet jack.
- Raised moulded grips to reduce slippage.
- Seamless design for maximum sump security.
- Polyethylene construction for maximum strength.

Length	Width	Height	Weight	Max Load
1740mm	1000mm	160mm	28kg	900kg

Flammable Liquid Storage Cabinets

The Spill Station Australia range of Flammable Goods Cabinets are Australian Made and built to comply with the Australian Standard AS1940-2004 for the storage of flammable and combustable liquids.



BCFLS30L



BCFLS60L



BCFLS250LEC



BCFLS250LHD









BCFLS160L

BCFLS100L



BCFLS250E

- All cabinets comply with AS1940-2004.
- Designed for use with all Class 3 liquids.
- 3-points self latching facility.
- Ventilation ports with built-in flame arrestors.
- Cabinets come with all required signage attached.
- Full instructions attached to the inside of the door.
- Continuous piano hinge ensuring smooth door closure.
- Built-in ground connector.
- Baked enamel lead-free finish eliminates corrosion.
- Sequentially closing doors.
- Made from double skin 1.2mm zinc coated steel.

	Flammable Liquid Storage Cabinet					
Item Code	Description	Capacity (Litre)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
BCFLS30L	Metal, 1 Door, 1 Shelf, 6 x 2.5L Bottles	30	800	505	460	53
BCFLS60L	Metal, 1 Door, 2 Shelf, 12 x 2.5L Bottles	60	1065	505	460	62
BCFLS100L	Metal, 2 Door, 1 Shelf, 15 x 2.5L Bottles	100	800	920	615	100
BCFLS160L	Metal, 2 Door, 2 Shelf, 6 x 20L Cans	160	1295	1100	460	138
BCFLS250L	Metal, 2 Door, 3 Shelf, 9 x 20L Cans	250	1825	1100	500	187
BCFLS250LE	Metal, 1 Door, 3 Shelf, 12 x 20L Cans	250	1825	760	830	196
BCFLS250LEC	Metal, 2 Door, 3 Shelf, 12 x 20L Cans	250	1825	1430	580	229
BCFLS250LVD	Metal, 1 Door for 205L Drum Vertical	205	1760	840	795	180
BCFLS250LHD	Metal, 1 Door for 205L Drum Horizontal	205	1435	820	1240	170

Corrosive & Toxic Substance Cabinets

Built from highest quality Australian materials, these Corrosive Substance Storage cabinets are designed to comply with the Australian Standard AS3780-1994



- Ventilation ports with built-in flame arrestors.
- Fully adjustable shelves with corrosion resistant polyethylene trays.

BCCLS250L	
-----------	--

Flammable Liquid Storage Cabinet						
Item Code	ode Description		Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
BCCLS30L	Metal, 1 Door, 1 Shelf, 6 x 2.5L Bottles	30	800	505	460	53
BCCLS60L	Metal, 1 Door, 2 Shelf, 12 x 2.5L Bottles	60	1065	505	460	62
BCCLS100L	Metal, 2 Door, 1 Shelf, 15 x 2.5L Bottles	100	800	920	615	100
BCCLS160L	Metal, 2 Door, 2 Shelf, 6 x 20L Cans	160	1295	1100	460	138
BCCLS250L	Metal, 2 Door, 3 Shelf, 9 x 20L Cans	250	1825	1100	500	187





- All Toxic Substance Cabinets comply AS4452:1997.
- Designed for use with all Class 6.1 substances.
- Self closing 3-point self latching doors.
- Fully welded 150mm liquid tight sump in all cabinets.
- Cabinets come ready to use with all required signage attached.

Flammable Liquid Storage Cabinet						
Item Code	Shelves	Capacity (Litre)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
BCTSS30L	1	30	800	505	460	53
BCTSS60L	2	60	1065	505	460	62
BCTSS100L	1	100	800	920	615	100
BCTSS160L	2	160	1295	1100	460	138
BCTSS250L	3	250	1825	1100	500	187

Eye/Facewash Equipment











Covered Eye-Facewash with Intergral Lid

This breakthrough in Emergency Eye/Facewash Units is safer and more effective than other units.

The H-STD45G eyewash ensures that the unit in protected from contaminants at all times. When opened, the flow of flushing water begins immediately.

- Standard Fittings
- Integral pull-down lid to start water flow
- Stainless steel piping
- Aerated diffusers
- Flow regulator
- Self adhesive pictogram sign

ltem Code	Description
H-STD45K	Wall Mounted Covered Eye/Facewash
H-STD45GSP	Pedestal Mounted Covered Eye/Facewash
H-EXP45GT	Bench Mounted Covered Eye/Facewash
H-TFC	Optional Foot Control Pedel

Eye-Facewash with Stainless Steel Bowl

This fully compliant eye/facewash with stainless steel bowl is available as a wall mounted or pesdestal mounted option.

Item Code	Description
H-STD85G	Wall Mounted Eye/Facewash
H-STD85GSP	Pedestal Mounted Eye/Facewash
H-TFC	Optional Foot Control Pedel

Wall Mounted Sign and Eyebath

Wall Mounted Emergency Eyebath and Safety Sign. The Eyebath attachment is on a flexible hose incorporating a handle, removable Eyebath cup and dust cover.

ltem Code	Description
H-STD35G	Wall Mounted Eyebath with sign

Optiflex Hand Held Eye, Face & Body Shower

This hand held eye, face & body shower has a unique lock on valve. The Optiflex100 can be mounted to a wall or safety shower. The Optiflex500 dual cup eyebath comes with wall mounting bracket. Both units are supplied with 1.5m reinforced hose.

ltem Code	Description
H-OPTI100	Wall Mounted Single Cup Optiflex
H-OPTI100SM	Shower Mounted Single Cup Optiflex
H-0PTI500	Wall Mounted Dual Cup Optiflex











Self-Contained Safety Shower/Eyewash

Portable Interim Safety Shower & Eyewash

The 114 litre carbon steel cylinder is polypropylene lined to avoid internal corrosion. Painted with acid resistant paint and fitted with 'Emergency Shower' signs. This unit is easily filled by connecting to a mains water supply via a 15 or 20 mm hose pipe and pressurised via a standard Schrader valve. It is moved using the attached stainless steel trolley with pneumatic wheels. This Mobile Emergency Safety Shower is designed as a quick response, first-aid device for use where a plumbedin unit is not available and must therefore be backed up by a method of further decontamination.

ltem Code	Description
H-STD40K	Portable Safety Shower
H-STD45GM	Portable Eye/Face Wash
H-STD40K45G	Portable Safety Shower/Eyewash

Portable Gravity Fed Eyewash

- Provides 15mins of decontaminating flow as specified in AS4775.
- Includes one bottle bacteriostatic additive.
- Wall mounting bracket included with each eyewash.
- Thermal protection jacket available for outdoor use

ltem Code	Description
H-P400	Portable Gravity Fed Eyewash
H-P400TJ	Thermal Protection Jacket for H-P400
H-ANTBAC	Bacteriostatic Water Additive

Portable Pressurised Eyewash

These pressurised eyewash units come in 2 sizes, 9 & 45 litres. Both are fitted with a pressure gauge and standard schrader valve. The 9 litre unit can deliver copious amounts of aerated water for 1 $\frac{1}{2}$ minutes via the attached drench hose. The 45 litre unit can delivery flushing water for 4 minutes via the twin aerated eyewash fountain.

Item Code	Description
H-STD28G	9L Pressurised Interim Eyewash
H-STD58G	45L Pressurised Interim Eyewash

Eyewash Solution Bottles

This sterile, buffered, isotonic solution has a twist off, tamper evident cap and a 4 year shelf life. It is designed to provide a controlled rate of flow. Available in stand alone bottles or wall mounted eyewash station.

Item Code	Description
EWB148	148ml Eyewash Bottle
EWB472	472ml Eyewash Bottle
EWB944	944ml Eyewash Bottle
EWB472WM	Eyewash Station with 2 x 472ml Bottle
EWB944WM	Eyewash Station with 2 x 944ml Bottle

Indoor Emergency Showers/Eyewash



The main thing to know is we stand behind our product. All units in the Hughes Safety Shower range have a 2 year warranty. That is double the warranty of any other shower supplier in Australia.

Valves:

- Virtually unbreakable.
- Purpose built patented design.
- Full bore ball valve.
- PTFE seals.
- Made from fully 316 stainless steel.
- 360° positively engaged spindle.
- Fully enclosed valve stop assembly.
- Glass reinforced nylon lever.

Spray Nozzle:

- Heavy duty glass reinforced moulded nylon construction.
- Cyclonic delivery conical spray profile.
- Complies with ANSI & Australian Standard spray profile requirements even at lower water pressures.
- Unlike common shower roses it will not become blocked by smaller particles.





Piping:

- All pipes are made from semi-polished 304L stainless steel.
- All fittings are made from 316 stainless steel.
- Full 316 stainless steel models are also available.

Construction:

The modular approach to construction provides maximum flexibility. All optional fittings including eyewash, eyewash operation pedal, signage and lighting can be easily retro-fitted to your safety shower if required.



Indoor Emergency Shower/Eyewash Equipment		
ltem Code	Description	
H-EXP18GS	Stainless Steel Safety Shower	
H-EXP18GS85G	Stainless Steel Safety Shower and Eye/Facewash	
H-EXP18GS45G	Stainless Steel Safety Shower and covered ABS Eye/Facewash	
H-EXP23GSH	Stainless Steel Wall Mounted Safety Shower	
H-EXP23GSV	Stainless Steel Ceiling Mounted Safety Shower	

Your safety shower may be compliant but is your water temperature?



When the sun heats up shower pipes it can increase water temperature to over 50°C. Using this water to flush skin and eyes damaged by chemical burns can cause considerable damage.

The Self Draining Safety Showers are designed to drain the water out of the shower and eyewash pipes when not in use and prevent scalding from water overheated by exposure to the sun.

The unique conical profile shower nozzle and solid spiggot 316 ball valve will ensure years of trouble free use.

This style safety shower is available as a combination shower/eye & face wash as well as a shower with body spray for multi-directional flushing.

Features:

- Full stainless steel pipes & fittings.
- Pipe wall thickness 2.3mm.
- Solid spiggot 316 ball valve.
- Conical profile shower nozzle.
- Bottom water inlet.
- Self-draining design.
- Complies with AS4775-2007
- Complies with ANSI Z358.1-2004
- Full 2 year warranty

Options:

- Foot control pedal for eyewash
- Scald protection valve
- Flow switch
- Compliant signage
- Audible/visual alarms
- Lighting
- Anti-slip matting

Outdoor Safety Showers and Eye/Facewash		
ltem Code	Description	
H-EXPSD18GS85G	Outdoor Safety Shower w/ Eye/Facewash	
H-EXPSD20GS	Outdoor Safety Shower w/ Bodyspray	

Scald Protection Valve



The Scald Protection Valve continually senses water temperature, automatically opens when the water reaches 35°C and bleeds overheated water from safety shower and eyewash supply lines. The valve closes when the water reaches 29.4°C.


Scald protection is provided with minimal water consumption. The unique plug and seat design offers the most reliable, tight shutoff available.

Features:

- Stainless steel body, fittings, spring and plug.
- Long service life & 3 year warranty.
- Narrow temperature band.
- Compact, low mass Fast response
- Ram-type plug for reliable tight shutoff
- Downstream actuator for greater sensitivity.
- Sensitive to temperature only.
- Unaffected by pressure variations.
- Easy installation with pipe wrench

Scald Protection Valve		
	ltem Code	Description
	H-AHATSP	Anti-Scald Valve 35°C-29.4°C

Indoor/Outdoor Safety Shower Optional Extras



Safety Shower & Eyewash Signs

The Australian Standard AS4775 states that correct signage for each safety shower is a requirement of compliance. They are made from stove enamelled aluminium plate and over-lacquered fo extra protection. Signs come complete with bracket to attach to the shower

Item Code	Description	Size (mm)
H-EWS	Eyewash Sign Metal Single Sided	300 x 255
H-SSS	Safety Shower Sign Metal Double Sided	300 x 255
H-ESS	Shower/Eyewash Sign Metal Double Sided	300 x 400

Safety Shower Lighting

This safety shower lighting is made from impact resistant poly carbonate and GRP. Twin 18W green fluorescent tubes ensure your safety shower complies A S 4775. Comes complete with mounting pole and bracket. Available for hazardous and non-hazardous environments.

Item Code	Description	Ingress Protection
H-AULIGHT	Safety Sower Light, Twin Tube, Green, 18w	IP66

Optional Shower Rose Designs

In addition the the Conical Profile shower nozzle that comes standard with all safety showers, these traditional shower roses are also available. These shower rose options are available in stainless steel or high impact ABS capped plastic.

Item Code	Description
H-ABS	Yellow ABS Plastic Shower Rose
H-SSR	Stainless Steel Shower Rose
H-PNR	Red Nylon Plastics Shower Nozzle

Foot Operation Pedal

In addition to the standard hand operation, this foot operation pedal is also available for all plumbed-in eyewash units. It is made of powder coated stainless

ltem Code	Description
H-TFC	Foot Operation Pedal

Flow Switch & Alarms

Other options including audible/visual alarms, flow switches and flange connectors are also available. The flow switch can trip a local or remote alarm and ensure the user gets fast first aid attention. Both units are available for hazardous and non-hazardous areas.

Item Code	Description	Ingress Protection
H-FSNH25	Flow Switch, Non Hazardous, 25mm	IP66
H-AUDVIS	Audible/Visual Alarm	IP65









Laboratory Safety Shower & Eyewash Equipment







Floor Mounted Laboratory Emergency Shower with Eye/Facewash

Floor Mounted Laboratory Emergency Shower with Eye/Facewash Fountain has a shower rose (stainless steel as standard fitting) and is pull rod operated. The Eye/Facewash has twin spray aerated nozzles with dust covers and is push plate operated. The water jets lift off the dust covers when operated and the height of the jets is adjustable using an integral flow regulator valve (shown with optional Optiflex). This shower/eyewash combination unit is finished in two-pack green enamel paint.

Standard Features:

- Stainless steel eye/face wash with aerated diffusers, dust covers, flow regulator and push pad.
- Hand operated pull rod shower control.
- Stay-on ball valve.
- Stainless steel shower rose.
- Stainless steel tubulars.

ltem Code	Description
H-STD85G	Wall Mounted Stainless Steel Eyewash
H-STD85GP	Pedestal Mounted Stainless Steel Eyewash
H-LAB18GS85G	Safety Shower & Eyewash Combination

Bench Mounted Eye/Facewash

This covered eyewash is made from high impact ABS plastic. When the cover is opened, the flow of water commences immediately. This eyewash incorporates a flow regulatior and twin aerated diffusers. Signage is also included.

ltem Code	Description
H-STD45GT	Bench Mounted Eye/Facewash

Non-Slip Safety Shower Mat

When floor surfaces, especially in a laboratory, become wet they can also become very slippery. These mats are designed for use under emergency showers or eyewash stations. The mats keep accident victims from slipping and raise them above the overflow area as the hazardous chemicals are washed away. The highly visible yellow borders are 153mm wide with a gradual slope for easy access. Easy to clean. Sweep or dry mop surface. Can be mopped with mild soap or detergent.

ltem Code	Description
H-NSM	Non-Slip Safety Shower & Eyewash Mat

Self-Contained Safety Shower/Eyewash



1200L Tank Shower with optional extras

This range of heavy duty tank showers and eyewash units, are ideal for areas where piped water supply is not available or water pressure cannot maintain a compliant flow rate.

The 1200L model provides 15 minutes of flushing water to ensure compliance with the Australian and ANSI standard for safety shower and eyewash equipment.

The 350L model is best suited to areas where piped water is available but pressure is not able to provide the 75 litres per minute required.

Standard features:

- Stainless steel frame and shower rose
- Glass reinforced plastic tank shell
- Insulated food grade plastic water storage tank
- External water level indicator
- External shower test handle
- ³/₄ inch female BSB tank fill point
- All tank showers come with signage attached.
- Panic bar operation

ltem Code	Description		
H-EXPJKS350	350 Litre Emergency Tank Shower		
H-EXPJKS1200	1200 Litre Emergency Tank Shower		





Tank Shower Optional Extras

Mounted on the inside of the shower frame, the Emergency Eyewash incorporates an integral lid connected to the water valve to automatically operate the unit when the lid is lifted. The lid also ensures that the bowl remains clean and free from contamination at all times.

ltem Code	Description		
H-TSEF1200	Complete Eyewash Unit For Use With Tank Shower		

- Integrated stainless steel pump
- Maintains compliant water temp in ambient temperatures to 60°C
- Standard 10A plug
- R134a Refrigerant for durability in high ambient conditions
- Can be mounted to shower equipment or be free standing
- IP rated electrical box
- High and low pressure safety protection
- 316 Stainless steel evaporator
- Suitable for operation in ambient temperatures to 60°C
- Epoxy coated condenser for anti corrosion protection

Item Code	Description
H-TSCU1200	Chiller Unit for 1200L Tank Shower Non Hazardous
H-TSCU1200Z12	Chiller Unit for 1200L Tank Shower Zone 1 & 2 Areas

Tank Shower Optional Extras











Solar Protection Shields

When operating in extreme temperatures, Tank Showers can be fitted with Solar Shields to protect the water in the tank from the effects of heat transfer by conduction, convection and radiation. They also increase chiller efficiency.

ltem Code	Description			
H-TSS1200	Solar Shield for 1200 Litre Tank Shower			

Tank Shower Lighting

Light Boxes enable the safety signs to be back-lit for greater visibility on dull days or at night. They also ensure that the shower and/or eyebath/ facewash are easy to see at all times as recommended in the AS4775.

ltem Code	Description
H-TSLNFLP	Tank Shower Lighting for Non-Hazardous Ares
H-TSLZ12	Tank Shower Lighting for Zone 1&2 Areas

Tank Shower Cubical Panels

The GRP cubical panelling is designed to minimise overspray especially when the tank shower is located in an exposed area. These panels are sold and fitted in the factory as a set of 3.

Item Code	Description
H-TSGRP1200	GRP Panels for Tank Shower Cubicles

Shower Sump and Walk-On Grate

The walk-on tank shower panel is made from galvanised steel. Is spring loaded and connected to the panic bar with stainless steel jack chain. When the shower operation panel is depressed, a flow of flushing water starts within one second.

The GRP sump with stainless steel frame fits beneath the tank shower. The sump collects the water and allows it to drain to a single point.

ltem Code	Description	
H-TSP1200	Walk-on Shower Operation Panel	
H-TSSUMP GRP Sump & Stainless Steel Frame		
Shower & Eyewash Proximity Switch		

Proximity switches can be fitted to the tank shower. When the shower/ eyewash is operated, the proximity switch activate to turn on a local or remote alarm. Ideal for unmanned sires and remote locations.

ltem Code	Description
H-STD22KENFLP	Eyewash Proximity Switch Non-Hazardous
H-STD22KNFLP	Shower Proximity Switch Non-Hazardous
H-STD22KEZ12	Eyewash Proximity Switch Zone 1 & 2
H-STD22KZ12	Shower Proximity Switch Zone 1 & 2









TSSBT230 Mobile Dispensing Station

- Safely move 205L drums from vertical to horizontal.
- Genuine single person operation. No forklift required.
- Lockable 3rd wheel for easy manoeuvring.
- Single piece moulded polyethylene with 230L sump.
- Double ratchet straps for extra load security.

Length	Width	Height	Weight	Sump	Max Load
1600mm	740mm	640mm	44kg	230 Litre	300kg

TSSDB4 Poly Racker					
Length	Width	Height	Weight	Sump	Max Load
1390mm	1250mm	490mm	50kg	400 Litre	1250kg
	TSSDBC Poly Stacker				
Length	Width	Height	Weight	Sump	Max Load
1240mm	795mm	490mm	25kg		600kg

- Decant from 205 litre drums in a safe bunded area.
- Huge 400L sump makes recovering spilled liquids easy.
- Seamless design for maximum sump security.
- Racker (base unit) and Stacker sold seperately.

TSSSBS Single Drum Cradle

- Very stable cradle for decanting horzontal 205L drums.
- Slightly sloped to allow maximum removal of liquids.
- Made from polyethylene for excellent chemical resistance.
- Can be used in conjunction with spill pallets and Maxitray.
- Single piece rotomoulded construction for extra strength.

Length	Width	Height	Weight	Max Load
730mm	875mm	765mm	10kg	300kg

TSSPDDH Poly Drum Dolly

- Ideal for mobile fluid collection and vertical dispensing.
- Avoid spills by taking your drum to the job.
- Collect incidental spills and prevent slip hazard
- *Overall sump height 255mm for ease of loading.
- Sturdy handle and rotating lockable castors.

Length	Width	Height	Weight	Sump	Max Load
725mm	725mm	990mm*	15.5kg	30 Litre	300kg









Poly Drum Funnel

- Perfect solution for waste oil collection point.
- Large stable surface area allows for controlled pouring.
- Drain containers and oil filters before disposal.
- Available with or without the hinged lid.
- Tough polyethylene construction for maximum durability.

TSSDF1 Poly Drum Funnel			
Diameter	Weight		
610mm	230mm	4kg	

Drum Topper

- Prevent corrosion of drums stored outside.
- Locks onto the drum but is easily removed when required.
- Slanted lid prevents buildup of rainwater.
- Made of UV stabilised polyethylene.

Item Code	Description	Size
TSSDL2	Secure Polyethylene 205L Drum Lid	630(dia)x160(H)mm

Drum Grab

- SWL of 1 tonne (AS4991 2004 Lifting devices).
- Genuine single person operation. Attaches in seconds.
- Suitable for use with all steel drums and most plastic drums.
- Can lift drums from and lower to both horizontal and vertical.
- Winner of the New Inventors Judges & Peoples Choice Award.

Item Code	Description	SWL
TSSDGT	Drum Grab Drum Lifting Device	1000kg

Multi Lifter

- Designed to safely move both open and closed top drums.
- Positive lock-on feature leaves the operator to control loading.
- Ideal for loading the Drum Dolly, Overpack and 1-Drum Tray.
- Comes fitted with chain and head ring.
- Safe working load of 500kg.

Item Code	Description	SWL
TSSSPDL	Open & Closed Top Drum Lifter	500kg



Collapsible Dive Over Bunding

- Eliminate spill from forklifts caused by rigid bunding.
- Compresses to minimise movement of forklift loads.
- Springs back to shape after vehicle passes.
- Cost-effective D.I.Y retrofit bunding.
- Can be driven over after 24 hours.
- Ideal for bunding across pedestrian and roller doors.
- Constructed from coated PVC and 100% memory foam.
- Compresses to minimise movement of forklift loads.
- Each Drive-over Bunding Kit contains: 220mm x 75mm(H) Bunding PVC Adhesive Masonry Anchors Sikatank Sealant Aluminium Reinforcing Flatbar Step-by-Step Instructions

Item Code	Description
TSSDOB10	10 metre Drive-over Bunding Kit
TSSDOB5	5 metre Drive-over Bunding Kit
TSSDOB2	2 metre Drive-over Bunding Kit
TSSDOBC	Corner Section Drive-over Bunding Kit

Portable Wash Bay

- Compliance made cost-effective and easy to use.
- Perfect for mobile vehicle washdown and detailing.
- Folds down to 600x800x350mm
- Foam ends allow for drive through applications.
- Constructed from heavy-duty coated PVC.
- Can be made to any size required.

Item Code	Description	Size	Weight
TSSWPS	Car & Truck Washpad		20kg

- Simply attach to 12v battery and flick the switch.
- Self-contained pump include 2m of hose.
- Battery not included.

ltem Code	Description	Flow Rate
TSSBBP	Self-contained Washpad Pump	15L/min








Stormwater Drain Seal

- Cover critical drains and keep spill onsite.
- Designed to be deployed by a single worker.
- Includes hi-vis bag and wall mounted storage hook.
- Adheres to drain surround for maximum seal.
- Wash with soap &water and reuse.
- Manufactured from chemically resistant PVC.

Item Code	Description	Size
TSSDS1	Stormwater Drain Seal	810 x 950mm
TSSDS2	Stormwater Drain Seal	1100 x 1100mm



Flat Drain Guard				
 Prevents so Overflow ho Suits flat si Easy D.I.Y in 	 Removes up to 99.8% of hydrocarbons from runoff. Prevents solids from entering stormwater. Overflow holes prevent stormwater blockage. Suits flat stormwater drains up to 1m x 1m. Easy D.I.Y installation instructions included. Absorbent pockets added for extra protection. 			
Item Code Description Size				
TSSFDG	Flat Stormwater Drain Guard	1100 x 1100mm		



Flexible Spill Barrier

- Reusable nonabsorbent spill containment barrier.
- Sticky exterior adheres to ground for maximum seal.
- Made of chemically resistant PVC.
- Wash with soap & water to recharge sticky exterior.
- Packed in hi-vis bag and wall mountable hook.
- Joiners available at no additional charge.
- This flexible unit can be shaped to fit your requirement.

ltem Code	Description	Size
TSSFB	Flexible Spill Barrier	2m x 70mm(H)



TSSBT50



1-Drum Round Spill Tray

- Perfect for use with rotary pumps.
- Collect incidental spills and prevent slip hazards.
 Ideal as bunding around waste oil collection points.
- Rotomoulded for extra strength.
- Made from chemicall resistant polyethylene.

ltem Code	Capacity	Height	Length	Width
TSSBT50	50 Litre	230mm	610mm	610mm

Bench-top Spill Trays

- Designed for benchtop use.
 Perfect for lab applications.
 Spills drain safely to the sump.
- Chemical resistant polyethylene.

Item Code	Capacity	Height	Length	Width
TSSBB25	27.5 Litre	110mm	550mm	550mm
TSSBB50	29 Litre	110mm	715mm	460mm





Drip and Storage Trays					
Item Code	Capacity	Height	Lenght	Width	
TSSDTM	20 Litre	100mm	610mm	410mm	
TSSDTL	45 Litre	100mm	810mm	610mm	
TSSTTS	45 Litre	170mm	630mm	590mm	
TSSTT65	65 Litre	150mm	1000mm	550mm	
TSSTT100	100 Litre	120mm	1000mm	1000mm	



Drip & Storage Trays

	UNIT OF SECTOR	• I • R c	deal for use wit libbed base des learance.	unded storage :h batteries, dr ign provides ac	ums, machine Iditional stren	ns and containers. parts, etc. gth and spill	
Chemical re durability. Item Code Description Capacity Heigh						·	
		Capacity	Height	Length	Width	Load UDL	
TSSGPT1	Medium Tuff Tray	110 Litre	295mm	730mm	730mm	260kg	
Drum Ovornacke							

Drum Overpacks



Item Code	Capacity (Litre)	Height (mm)	Diameter Top (mm)	Diameter Bottom (mm)	Weight (kg)
TSS1237	360	1098	787	683	21
TSS1230	114	720	570	420	6.3
TSS1220	76	520	520	425	5.8

Bins and Carts





Mobile Bins					
ltem Code	Capacity	Height	Width	Depth	Weight
X-BIN660	660L	1200mm	1225mm	770mm	45mm
X-BIN240	240L	1060mm	580mm	640mm	15.5mm
X-BIN140	140L	920mm	535mm	550mm	11.4mm

Large Storage Containers



These large storage containers are made from plotethylene and	
come standard with hinged lockable lid.	

Large Storage Containers					
Item Code	Length	Width	Height	Capacity	
TSSPSB1	1265mm	855mm	910mm	350 Litre	
TSSPSB2	1460mm	1010mm	975mm	1000 Litre	

Carts & Trolleys



• Store MSDSs

- Store MSDSs and information required by emergency services.
 Lockable latches keyed to LOO3 Fire Brigade locks.
- Wall mountable and weatherproof.
- Made from zincanneal steel.

ltem Code	Height	Width	Depth
BCE1425350	425mm	350mm	100mm
BCE1500600	600mm	500mm	156mm

Emergency Information Cabinet

Temporary Tank & Drum Repair Putty

- Stop leaks from drums, and tanks at the source.
- No surface or putty preparation is required.
- Simply scoop putty out and press over the hole.
- Very adhesive and chemical resistant.
- Effective up to .25 bar (8ft head pressure).
- Adheres to metal, plastic and glass.
- Perfect addition to any Spill Response Kit.
- Buys precious time and saves valuable liquids.

Item Code	Name	Weight
PIU800	Plugitup Putty	800g

Collapsable Cone With Internal LED Light

- Reflective outer and internal LED light with 300 hour run time.
- Lightweight fold-away design makes it a perfect spill kit addition.
- Isolate contaminated spill areas effectively day or night.

• Folds down into sturdy PVC base to a height of only 50mm.

ltem Code	Power	Height	Base	Weight
TSS450	2xAAA battery	450mm	245x245mm	1.2kg

Fire Extinguishers

- Fire extinguishers are a vital part of any flammable goods storage area. Suitable for:
- Class A Paper, textiles, wood, most plastics and rubber
- Class B Flammable liquids
- Class E Electrically energised equipment

ltem Code	Description	Discharge Time	Effective Range
W0282	2.7kg ABE Fire Extinguisher	15 secs	4 metres
W0283	4.5 kg ABE Fire Extinguisher	20 secs	5 metres




EMERGENCY

INFORM.







additional strength.

Item Code

X-CWB/10

X-TWB/10

X-AWB/10

X-BAT/10









Description

Clinical Waste Bag

Cytotoxic Waste Bag

Asbestos Waste Bags

Contaminated Waste Bags

Spill Station waste disposal bags are made from polyethylene for

Size

320x460mm

500x650mm

900x600mm

700x560mm

Quantity

10

10

10

10



		日日
	1	

	TSSNK1	Portable Oil/Water Filter	
--	--------	---------------------------	--

- Ideal for removing oil from water in remote areas.
- Aluminium dispersal wand with 50mm female camlock fitting.
- Removes up to 99.8% of hydrocarbons at 180L/minute.
- Converts up to 30L of hydrocarbon to a managable solid.

Item Code	Description	Capacity	Height	Width
TSS1237	Portable Oil/Water Filter Complete	30 Litre	1300mm	500mm
TSSNK1R	Portable Oil/Water Filter Refill	30 Litre	1150mm	500mm

Clearflow Filter Tube

- Removes solids from general urban runoff.
- Ideal for dewatering roadside pits.
- Adaptor fitted with 50mm female camlock.
- 300mm x 2m size for high volume pumpout.

Item Code	Description	Discharge	Effective
CFFT147	Filter Tube	147mm	1000mm
CFFTAK1	147mm Adaptor		
CFFT300	Filter Tube	300mm	2000mm
CFFTAK2	300mm Adaptor		

Dewatering System For Clay Soils

- Removes clay (colloidal) soils from water.
- Reusable outer and disposable inner filter.
- Dispersal wand fitted with 50mm female camlock.
- Quick release flap for inner filter removal.

Item Code	Description	Discharge	Effective
TSSDWS1	Dewatering Bag Complete	2200mm	800mm
TSSDWSR	Inner Filter Replacement	2000mm	720mm

Compact Floating Containment Boom

- Contain spills of oil and fuel on waterways.
- Ideal for rivers, dams and harbours.
- Marine alloy joiners to create required length.
- Made from 900gsm marine boom PVC.
- Complete with grab straps fpr easy retrievel.
- Packed in carry bag for easy handling.

Item Code	Freeboard	Skirt	Ballast	Weight	Length	Pack Size (mm)
TSSCONT	200mm	250mm	6mm chain	16kg	10m	600x350x450







FILTERTURE

CLEARFLOW

PPE & Spill Cleanup







Hand Protection		
ltem Code	Description	
X-NEO	Chemical Resistant Neoprene Gloves	
X-ORG	Oil Resistant PVC Gloves	
X-ORG-E	Oil Resistant PVC Gauntlets	
X-DLG	Disposable Latex Gloves	
X-NDG	Disposable Nitrile Gloves	

	Eye Protection	
Item Code	Description	
X-IRG	Safety Glasses	
X-GOG	Splash Goggles	
X-MES	Face Mask With Eye Sheild	

	Respiratory Protection
Item Code	Description
X-DMV	P2 Mask with Valve
X-HFM	Half-face Mask A-AUS P2 Cartidges

Protective Clothing		
Item Code	Description	
X-TDO	Disposable Overall	
X-DHG	Disposable Clinical Gown	
X-PEA	LDPE Disposable Apron	

Waste Collection Equipment	
Item Code	Description
X-SCOOP	Dustpan & Brush
X-BRM	Hard Bristle Yard Broom
X-HSH	Sparkproof Shovel

PPE Sleeve	
Ensure your personal protection equipment and material safety data sheets are easy to find by including the PPE Sleeve in your Spill Kit.	
Item Code	Description
X-PPS	PPE/MSDS Sleeve

www.spillstation.com.au

Workplace Safety



Chemical spills create immediate dangers to personnel, assets and the environment. Workplace Health & Safety and Environment Protection legislation both require that

Workplace Health & Safety and Environment Protection legislation both require that due dilligence is exercised and the correct equipment is in place to minimise the risk of harm to employees and the environment.

Since 1983, Spill Station Australia has been developing a range of workplace protection solutions to not only address the immediate consequences of a spill on staff and the ecosystem but to put measures in place to avoid them from occurring.

Our new range of unique Safety Showers are designed to operate in all climates and workplaces including mining, offshore, laboratory and factory floor.

This global approach to the provision of health, safety and environment protection equipment is the most effective method of achieving sustainable outcomes across all sectors of Australian Industry.



PERTH - BRISBANE - SYDNEY MELBOURNE - TOWNSVILLE

1300 66 42 66 www.spillstation.com.au



spillstationaustralia

email: info@spillstation.com.au phone: 1300 66 42 66 fax: 1800 72 74 31 www.spillstation.com.au